



WKM valves for general-purpose petroleum and chemical process applications

Contents

| Introduction | 1 |
|--|----------|
| ASME Classes 150-2500 and 5,000-psi valves, 2 to 16 in [50 to 400] |) mm] .2 |
| Features and benefits | 3 |
| Standards and specifications | 4 |
| Materials list | 5 |
| Trim codes | 6 |
| Part number code and how to order | 6 |
| ASME Class 150 valve dimensions, 2 to 16 in [50 to 400 mm] | 7 |
| ASME Class 300 valve dimensions, 2 to 16 in [50 to 400 mm] | 8 |
| ASME Class 600 valve dimensions, 2 to 16 in [50 to 400 mm] | 9 |
| ASME Class 900 valve dimensions, 2 to 12 in [50 to 300 mm] | 10 |
| ASME Classes 1500 and 2500, and 5,000-psi valve dimensions, | |
| 2 to 8 in × 6 in [50 to 200 mm × 150 mm] | 11 |
| Weight and $\mathcal{C}_{\!\scriptscriptstyle v}$ data | 12 |
| Valve torque chart | 13 |
| Material selection guide | 14 |



WKM 370D6 TrunnionMounted Ball Valves

Cameron is a leading provider of valve, valve automation, and measurement systems to the oil and gas industry.

Our products control, direct, and measure the flow of oil and gas as it is moved to refineries, petrochemical plants, and industrial centers for processing. We provide valve products that are sold through distributor networks worldwide. Our products are used in oil, gas, and industrial applications and include widely recognized brands such as


- DEMCO* valves
- NAVCO* floating ball valves
- NEWCO* gate, globe, and choke valves
- DOUGLAS CHERO* forged-steel gate, globe, and check valves
- NUTRON* ball valves
- THORNHILL CRAVER* choke valves
- TOM WHEATLEY* check valves
- WHEATLEY* check valves
- WKM* valves.

Our WKM valve product line offers gate valves, trunnion-mounted and floating ball valves, and butterfly valves, all built to standards for demanding applications. The WKM 370D6* trunnion-mounted ball valve is recognized throughout the world for durability, reliability, and flexibility in many challenging situations.

ASME Classes 150-2500 and 5,000-psi valves

2 to 16 in [50 to 400 mm]

WKM 370D6 ball valves are designed and engineered for heavy-duty performance. Used in many general-purpose petroleum and chemical process applications, these valves also can be specified for more demanding applications.



Features and benefits

Fire tested for safety

WKM 370D6 ball valves are qualified under API Spec 607 standards.

Actuation friendly

Valves can come with a gear operator from DYNATORQUE* valve accessories or an ISO 5211 certified mounting pad for easy actuation.

End connections

Valves are generally flanged; 2-, 3-, and 4-in Class 150 valves come in flanged \times flanged configuration.

Body style

Two-piece body is standard.

Standard materials

Choose carbon steel, stainless steel (SS), or low-temperature carbon steel.

Optional stem materials

Choose 316 SS, 410 SS, 4130 LAS, or INCONEL® material.

Double-block-and-bleed operation


The pressure-actuated seats and bleed fittings enable double-block-and-bleed operation. When used for block and bleed, this feature can permit the valve to take the place of two valves. It also enables the operator to check up- and downstream sealing by bleeding off the body pressure. All sizes can block and bleed in both the open and closed positions.


Standard NACE trim[†]

Valves are compliant with NACE MR0175 and ISO 15156 certification for buried service.

Bidirectional flow


This valve uses pressure-actuated seats with locked-in, nonmetallic face seals. To help ensure sealing at low pressure, special wave springs force the seats against the ball. At higher pressures, the upstream seat is forced against the ball by the pressure working across the differential area between the seat insert and the seat O-ring. The higher the pressure, the tighter the seal.





Secondary seat seal injection

In the event of damage to the valve seat, sealant can be injected to temporarily seal the valve.




Automatic body pressure relief

Seats internally relieve excess body pressure.

[†]NACE MR0175 and ISO 15156 compliance — Materials of construction shall be in compliance with the prequalified material requirements specified by NACE MR0175 and ISO 15156 certification. According to NACE MR0175 and ISO 15156 certification, it is the manufacturer's responsibility to meet metallurgical requirements and the customer's or user's responsibility to ensure that a material will be satisfactory in the intended environment. When given the application requirements (environment) by the customer or user, Cameron can make technical recommendations in accordance with NACE MR0175 and ISO 15156 certification, but that in no way certifies or warrants the product or materials for the application.

Standards and specifications



Design and testing standards

- API Spec 6D
- API Spec 598
- API Spec 607 6th Ed. fire testing
- NACE MR0175 and ISO 15156 certification
- ASME Standard B16.34 (valves, flange end)
- Manufacturers Standardization Society Standard Practice 6 (MSS SP-6), standard finishes for pipe flanges)
- MSS SP-25 (standard marking system for valves)
- MSS SP-55 (quality standards for steel castings)

In addition, WKM 370D6 trunnion-mounted ball valves can be supplied to comply with

- Conformité Européenne Pressure Equipment Directive (CE/PED)
- ISO 5211 certification top works
- Canadian Registration Number (CRN)
- API Spec 608
- fugitive emissions certification.

| ASME Pressure Clas | sses | | | | | | |
|---------------------|------|-----|-----|----------|------|------|--------------|
| Size, in [mm] | | | A | SME Clas | SS | | |
| | 150 | 300 | 600 | 900 | 1500 | 2500 | 5000- psi |
| 2 [50] | • | • | • | • | • | • | • |
| 3 × 2 [80 × 50] | | | • | • | | | |
| 3 [80] | • | • | • | • | • | • | • |
| 4 × 3 [100 × 80] | | | • | • | | | |
| 4 [100] | • | • | • | • | • | • | • |
| 6 × 4 [150 × 100] | • | • | • | • | • | • | |
| 6 [150] | • | • | • | • | • | | • |
| 8 × 6 [200 × 150] | • | • | • | • | • | | |
| 8 [200] | • | • | • | • | | | |
| 10 × 8 [250 × 200] | • | • | • | • | | | |
| 10 [250] | • | • | • | • | | | |
| 12 × 10 [300 × 250] | • | • | • | • | | | |
| 12 [300] | • | • | • | • | | | |
| 14 [350] | • | • | • | | | | |
| 16 [400] | • | • | • | | | | |

Materials list

| Body Group Trim Number | 24 | 37 | 23 | 27 |
|------------------------|----------------------------|------------------------------|----------------------------|--|
| Part | Carbon Steel | Low-Temperature Carbon Steel | Stainless Steel | Carbon Steel 3-mil Electroless Nickel Plating (ENP) |
| Body | A216 Gr. WCC | A352 Gr. LCC | A351 Gr. CF8M | _ |
| Tailpiece | A216 Gr. WCC | A352 Gr. LCC | A351 Gr. CF8M | _ |
| Lower cover plate | Carbon steel | A350 Gr. LF2 | 316 SS | _ |
| Studs | A320 Gr. L7M (zinc plated) | A320 Gr. L7M (zinc plated) | A320 Gr. L7M (zinc plated) | _ |
| Nuts | A194 Gr. 7ML (zinc plated) | A194 Gr. 7ML (zinc plated) | A194 Gr. 7ML (zinc plated) | _ |
| Capscrews | L7M | L7M | L7M | _ |
| Pipe plug | SS | SS | SS | _ |
| Adapter plate | Carbon steel (CS) | A350 Gr. LF2 | A350 Gr. LF2 | _ |

All body group trim numbers are compliant with NACE MR0175 and ISO 15156 certification.

| Internal Group Trim Number | 24 | 37 | 23 | 27 |
|----------------------------|---------------------------|-------------------------------|---------------------------------|--------------------------------|
| Ball | A216 Gr. WCC/A105 CS ENP | A352 Gr. LCC/A350 Gr. LF2 ENP | A182 Gr. 316/A351 Gr. CF8M | A216 Gr. WCC/A105 CS 3 mil ENP |
| Stem drive pin | Alloy steel | Alloy steel | 316 SS | Alloy steel |
| Stem or trunnion | A105 CS ENP | A350 Gr. LF2 ENP | A182 Gr. 316 SS | A105 CS 3 mil ENP |
| Seat rings | A 216 Gr. WCC/A105 CS ENP | A352 Gr. LCC/A350 Gr. LF2 ENP | A182 Gr. 316/A351 Gr. CF8M | A216 Gr. WCC/A105 CS 3 mil ENP |
| Seat spring | B637 N07500 | B637 N07500 | B637 N07500 | B637 N07500 |
| Stem and trunnion bearings | CS and filled PTFE | CS and filled PTFE | CS and filled PTFE [†] | CS and filled PTFE |
| Thrust washer | CS and filled PTFE | CS and filled PTFE | CS and filled PTFE [†] | CS and filled PTFE |
| Ground spring | SS | SS | SS | SS |

Note: Trim 24 is suitable for ambient temperatures from -20 to 400 degF [-29 to 204 degC].

Trims 23 and 37 are suitable for ambient temperatures from -50 to 400 degF [-46 to 204 degC] (must be combined with appropriate seal code).


[†] 23-23 full stainless steel gets stainless steel thrust washer and bearings.

| Seal Group Trim Code | YXF [†] | TFF | YRF | PWF [†] |
|----------------------------|---|------------------------------------|--------------------------------------|---|
| Part | Fire Tested | Classes 150–600 Fire Tested | Fire Tested | Fire Tested |
| Temperature limits | -50 [†] to 250 degF [-46 to 121 degC] | 0 to 350 degF [-18 to 177 degC] | –20 to 250 degF [–29 to 121 degC] | −50 [†] to 350 degF [−46 to 177 degC] |
| Seat face seals | Nylon (N6) | Filled PTFE | Nylon (N6) | PEEK® |
| Stem seal O-rings | James Walker® HNBR | FKM® | HNBR | FKM GLT |
| Body and tailpiece O-rings | James Walker HNBR | FKM | HNBR | FKM GLT |
| Seat O-rings | James Walker HNBR | FKM | HNBR | FKM GLT |
| Trunnion O-ring | James Walker HNBR | FKM | HNBR | FKM GLT |
| Backup rings | Nylon or PEEK | PEEK | Nylon or PEEK | PEEK |

[†] When combined with trim 23 or 37, use body and internal group code. Consult Cameron for a complete list of trim temperature ranges.


Trim codes

| 2 | D6 | 600 | RF × RF | 24 | Υ | | R | F | 24 | LG | | |
|------------------|-------------|----------------|-----------------|----------------|--------|---------|--------------------|--------|---------------|--------------------|--------|----|
| Size, in [mm] | Valve model | Pressure class | End connections | Body group | Se | at grou | p Seal group | Fire t | ested Inte | rnal group Actu | ation | |
| | | | [| | 1 | | | | | | Ι. | |
| | 370D6 | 150 to 5000 | Stainless steel | | 23 | | FKM | F | | Less gear | L | LG |
| | 370D6P-PED | | Carbon steel | | 24 | | James Walker 985 | X | | Worm ge | ar \ | WG |
| 2 to 10 in [E0.4 | to 400 mm m | • | Low-temperatur | e carbon steel | 37 | | HNBR | R | | Wrench h | nead \ | WH |
| 2 to 16 in [50 t | to 400 mmj | | | Devl | nn® | | James Walker 101 | S | | | | |
| | | | | | | U | FKM GLT | w | Stainless ste | el | 23 | |
| | | | | Nylo | n (N6) | Y | James Walker FR58 | ٧/ | Carbon steel | | 24 | |
| | | | | Filled | PTFE | T | James Walker 11130 | V | Carbon steel | 3-mil ENP | 27 | |
| | | | | PEEk | | Р | | | Low-tempera | ature carbon steel | 37 | |



ASME Class 150 valve dimensions

2 to 16 in [50 to 400 mm]




| Dimensions | | | | | - | | | | | | - | | | | | | | | | |
|------------------------|--------------------|----------------|----------------|------------------|------------------|------------------|------------------|------------------|-------------------|-------------------|------------------|--------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|---------------|---------------|
| Size, in [mm] | A RF RJ | — В | ВВ | E | Н | J | K | L | Μ [†] | N [†] | P | Q † | R | Т | U | V | W | X | Υ | Z |
| 2 [50] | 7.00 [178] – | 2.00 [51] | 2.00 [51] | 6.31 [160.3] | 4.31 [109.5] | 4.67 [118.6] | 0.962 [24.43] | 0.862 [21.8] | 4.016 [102.00] | 4.90 [124.4] | 0.318 [8.08] | 0.43 [10.9] (4) | 0.59 [14.99] | 5.77 [146.6] | 7.32 [185.9] | 1.75 [44.5] | 9.06 [230.12] | 6.00 [154.4] | 7.7 [196] | 6.7 [170] |
| 3 [80] | 8.00 [203] - | 3.00 [76] | 3.00 [76] | 7.14 [181.4] | 5.19 [131.8] | 5.54 [140.7] | 1.219 [30.96] | 1.098 [27.89] | 4.016 [102.00] | 4.90 [124.4] | 0.318 [8.08] | 0.43 [10.9] (4) | 0.59 [14.99] | 6.64 [168.7] | 8.19 [208.0] | 1.75 [44.5] | 9.06 [230.12] | 6.00 [154.4] | 13.7 [348] | 7.5 [191] |
| 4 [100] | 9.00 [229] - | 4.00 [102] | 4.00 [102] | 9.14 [232.2] | 6.65 [168.9] | 7.11 [180.6] | 1.533 [38.94] | 1.413 [35.89] | 5.512 [140.00] | 6.90 [175.00] | 0.398 [10.11] | 0.67 [17] (4) | 0.77 [19.56] | 8.48 [215.4] | 10.18 [258.6] | 2.51 [63.8] | 9.06 [230.12] | 6.00 [154.4] | 23.9 [607] | 9.6 [244] |
| 6 × 4 [150 × 100] | 15.50 [394] – | 4.00 [102] | 6.00 [152] | 9.14 [232.2] | 6.65 [168.9] | 7.11 [180.6] | 1.533 [38.94] | 1.413 [35.89] | 5.512 [140.00] | 6.90 [175.00] | 0.398 [10.11] | 0.67 [17] (4) | 0.77 [19.56] | 8.48 [215.4] | 10.18 [258.6] | 2.51 [63.8] | 9.06 [230.12] | 6.00 [154.4] | - | - |
| 6 [150] | 15.50 [394] – | 6.00 [152] | 6.00 [152] | 11.50 [292.1] | 8.25 [209.5] | 9.17 [232.9] | 1.770 [44.96] | 1.650 [41.91] | 6.00 [152.40] | 7.00 [177.8] | 0.476 [12.09] | 0.56 [14.2] (4) | 0.84 [21.3] | 10.54 [267.7] | 12.24 [310.9] | 2.51 [63.8] | 12.19 [309.6] | 12.00 [304.8] | 38.2 [970] | 11.9 [302] |
| 8 × 6 [200 × 150] | 18.00 – [457] | 6.00 [152] | 8.00 [203] | 11.50 [292.1] | 8.25 [209.5] | 9.17 [232.9] | 1.770 [44.96] | 1.650 [41.91] | 6.00 [152.40] | 7.00 [177.8] | 0.476 [12.09] | 0.56 [14.2] (4) | 0.84 [21.3] | 10.54 [267.7] | 12.24 [310.9] | 2.51 [63.8] | 12.19 [309.6] | 12.00 304.8] | - | _ |
| 8 [200] | 18.00 – [457] – | 8.00 [203] | 8.00 [203] | 14.00 [355.6] | 10.06 [255.5] | 11.52 [292.6] | 2.024 [51.41] | 1.886 [47.90] | 6.496 [165.00] | 8.00 [203.2] | 0.556 [14.12] | 0.81 [20.6] (4) | 0.94 [23.88] | 13.02 [330.7] | 14.79 [375.7] | 3.00 [76.2] | 12.19 [309.6] | 16.00 [406.4] | - | _ |
| 10 × 8 [250 × 200] | 21.00 [533] - | 8.00 [203] | 10.00 [254] | 14.00 [355.6] | 10.06 [255.5] | 11.52 [292.6] | 2.024 [51.41] | 1.886 [47.90] | 6.496 [165.00] | 8.00 [203.2] | 0.556 [14.12] | 0.81 [20.6] (4) | 0.94 [23.88] | 13.02 [330.7] | 14.79 [375.7] | 3.00 [76.2] | 12.19 [309.6] | 16.00 [406.4] | - | _ |
| 10 [250] | 21.00 [533] - | 10.00 [254] | 10.00 [254] | 16.52 [419.6] | 12.00 [304.8] | 13.42 [340.9] | 2.514 [63.86] | 2.357 [59.87] | 8.00 [203.20] | 9.50 [241.3] | 0.712 [18.08] | 0.81 [20.6] (4) | 0.94 [23.9] | 15.30 [388.6] | 17.28 [438.9] | 3.63 [92.08] | 14.94 [379.5] | 20.00 [508.0] | - | - |
| 12 × 10 [300 × 250] | 24.00 [610] - | 10.00 [254] | 12.00 [305] | 16.52 [419.6] | 12.00 [304.8] | 13.42 [340.9] | 2.514 [63.86] | 2.357 [59.87] | 8.00 [203.20] | 9.50 [241.3] | 0.712 [18.08] | 0.81 [20.6] (4) | 0.94 [23.9] | 15.30 [388.6] | 17.28 [438.9] | 3.63 [92.08] | 14.94 [379.5] | 20.00 [508.0] | - | - |
| 12 [300] | 24.00 [610] - | 12.00 [305] | 12.00 [305] | 17.95 [501.6] | 13.27 [337.0] | 14.85 [377.2] | 2.514 [63.86] | 2.357 [59.87] | 8.00 [203.20] | 9.50 [241.3] | 0.712 [18.08] | 0.81 [20.6] (4) | 0.94 [23.9] | 16.73 [424.9] | 18.71 [475.2] | 3.63 [92.08] | 14.94 [379.5] | 20.00 [508.0] | - | - |
| 14 [350] | 27.00 [686] - | 13.25 [337] | 13.25 [337] | 21.04 [534.4] | 15.28 [388.1] | 16.97 [431.0] | 3.007 [76.38] | 2.830 [71.88] | 10.00 [254.00] | 11.90 [302.00] | 0.792 [20.12] | 0.67 [17] (8) | 1.25 [31.80] | 19.22 [488.2] | 21.68 [550.7] | 4.63 [117.5] | 18.09 [459.5] | 24.00 [609.6] | - | - |
| 16 [400] | 30.00 [762] - | 15.25 [387] | 15.25 [387] | 22.67 [575.8] | 16.91 [429.5] | 18.6 [472.4] | 3.007 [76.38] | 2.830 [71.88] | 10.00 [254.00] | 11.90 [302.00] | 0.792 [20.12] | 0.67 [17] (8) | 1.25 [31.80] | 20.85 [529.6] | 23.31 [592.1] | 4.63 [117.5] | 19.72 [500.9] | 30.00 [762.0] | - | - |

 $^{^{\}rm t}\text{M},~\text{N},~\text{and}~\text{Q}$ dimensions are for less gear and with gear configurations only.

ASME Class 300 valve dimensions

2 to 16 in [50 to 400 mm]




| Dimensions | S | | | | | | | | | | | | | | | | | | | | |
|------------------------|----------------|----|----------------|----------------|------------------|------------------|------------------|------------------|------------------|--------------------|-------------------|------------------|--------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|---------------|--------------|
| Size, in [mm] | A RF | RJ | - В | ВВ | E | Н | J | K | L | Μ [†] | N [†] | Р | Q † | R | Т | U | V | W | X | Y | Z |
| 2 [50] | 8.50 [216] | - | 2.00 [51] | 2.00 [51] | 6.31 [160.3] | 4.31 [109.5] | 4.67 [118.6] | 1.219 [30.96] | 1.098 [27.89] | 4.016 [102.00] | 4.90 [124.4] | 0.318 [8.08] | 0.43 [10.9] (4) | 0.59 [14.99] | 5.77 [146.6] | 7.32 [185.9] | 1.75 [44.5] | 9.06 [230.12] | 6.00 [154.4] | 13.7 [348] | 6.7 [170] |
| 3 [80] | 11.12 [282] | - | 3.00 [76] | 3.00 [76] | 7.14 [181.4] | 5.19 [131.8] | 5.54 [140.7] | 1.219 [30.96] | 1.098 [27.89] | 4.016 [102.00] | 4.90 [124.4] | 0.318 [8.08] | 0.43 [10.9] (4) | 0.59 [14.99] | 6.64 [168.7] | 8.19 [208.0] | 1.75 [44.5] | 9.06 [230.12] | 6.00 [154.4] | 19.7 [500] | 7.5 [191] |
| 4 [100] | 12.00 [305] | - | 4.00 [102] | 4.00 [102] | 9.14 [232.2] | 6.65 [168.9] | 7.11 [180.6] | 1.533 [38.94] | 1.413 [35.89] | 5.512 [140.00] | 6.90 [175.00] | 0.398 [10.11] | 0.67 [17] (4) | 0.77 [19.56] | 8.48 [215.4] | 10.18 [258.6] | 2.51 [63.8] | 9.06 [230.12] | 6.00 [154.4] | 31.9 [810] | 9.6 [244] |
| 6 × 4 [150 × 100] | 15.88 [403] | - | 4.00 [102] | 6.00 [152] | 9.14 [232.2] | 6.65 [168.9] | 7.11 [180.6] | 1.533 [38.94] | 1.413 [35.89] | 5.512 [140.00] | 6.90 [175.00] | 0.398 [10.11] | 0.67 [17] (4) | 0.77 [19.56] | 8.48 [215.4] | 10.18 [258.6] | 2.51 [63.8] | 9.06 [230.12] | 6.00 [154.4] | - | - |
| 6 [150] | 15.88 [403] | - | 6.00 [152] | 6.00 [152] | 11.50 [292.1] | 8.25 [209.5] | 9.17 [232.9] | 1.770 [44.96] | 1.650 [41.91] | 6.00 [152.40] | 7.00 [177.8] | 0.476 [12.09] | 0.56 [14.2] (4) | 0.84 [21.3] | 10.54 [267.7] | 12.24 [310.9] | 2.51 [63.8] | 12.19 [309.6] | 12.00 [304.8] | - | - |
| 8 × 6 [200 × 150] | 19.75 [502] | - | 6.00 [152] | 8.00 [203] | 11.50 [292.1] | 8.25 [209.5] | 9.17 [232.9] | 1.770 [44.96] | 1.650 [41.91] | 6.00 [152.40] | 7.00 [177.8] | 0.476 [12.09] | 0.56 [14.2] (4) | 0.84 [21.3] | 10.54 [267.7] | 12.24 [310.9] | 2.51 [63.8] | 12.19 [309.6] | 12.00 304.8] | - | - |
| 8 [200] | 19.75 [502] | - | 8.00 [203] | 8.00 [203] | 14.95 [379.7] | 10.45 [265.4] | 11.85 [301.0] | 2.514 [63.86] | 2.357 [59.87] | 8.00 [203.20] | 9.50 [241.3] | 0.712 [18.08] | 0.81 [20.6] (4) | 0.94 [23.88] | 13.73 [348.7] | 15.71 [399.0] | 3.63 [92.08] | 13.81 [350.8] | 16.00 [406.4] | - | - |
| 10 × 8 [250 × 200] | 22.38 [568] | - | 8.00 [203] | 10.00 [254] | 14.95 [379.7] | 10.45 [265.4] | 11.85 [301.0] | 2.514 [63.86] | 2.357 [59.87] | 8.00 [203.20] | 9.50 [241.3] | 0.712 [18.08] | 0.81 [20.6] (4) | 0.94 [23.88] | 13.73 [348.7] | 15.71 [399.0] | 3.63 [92.08] | 13.81 [350.8] | 16.00 [406.4] | - | - |
| 10 [250] | 22.38 [568] | - | 10.00 [254] | 10.00 [254] | 16.52 [419.6] | 12.00 [304.8] | 13.42 [340.9] | 2.514 [63.86] | 2.357 [59.87] | 8.00 [203.20] | 9.50 [241.3] | 0.712 [18.08] | 0.81 [20.6] (4) | 0.94 [23.9] | 15.30 [388.6] | 17.28 [438.9] | 3.63 [92.08] | 14.94 [379.5] | 20.00 [508.0] | - | - |
| 12 × 10 [300 × 250] | 25.50 [648] | - | 10.00 [254] | 12.00 [305] | 16.52 [419.6] | 12.00 [304.8] | 13.42 [340.9] | 2.514 [63.86] | 2.357 [59.87] | 8.00 [203.20] | 9.50 [241.3] | 0.712 [18.08] | 0.81 [20.6] (4) | 0.94 [23.9] | 15.30 [388.6] | 17.28 [438.9] | 3.63 [92.08] | 14.94 [379.5] | 20.00 [508.0] | - | - |
| 12 [300] | 25.50 [648] | - | 12.00 [305] | 12.00 [305] | 20.17 [512.3] | 14.41 [366.0] | 16.10 [408.9] | 3.007 [76.38] | 2.830 [71.88] | 10.00 [254.00] | 9.50 [241.3] | 0.792 [20.12] | 0.67 [17] (8) | 1.25 [31.80] | 18.35 [466.1] | 20.81 [528.6] | 4.63 [117.5] | 18.09 [459.5] | 24.00 [609.6] | - | - |
| 14 [350] | 30.00 [762] | - | 13.25 [337] | 13.25 [337] | 21.04 [534.4] | 15.28 [388.1] | 16.97 [431.0] | 3.007 [76.38] | 2.830 [71.88] | 10.00 [254.00] | 11.90 [302.00] | 0.792 [20.12] | 0.67 [17] (8) | 1.25 [31.80] | 19.22 [488.2] | 21.68 [550.7] | 4.63 [117.5] | 19.72 [500.9] | 30.00 [762.0] | - | - |
| 16 [400] | 33.00 [838] | - | 15.25 [387] | 15.25 [387] | 24.46 [621.3] | 18.18 [461.8] | 19.89 [505.2] | 3.342 [84.89] | 3.145 [79.88] | 10.375 [263.53] | 12.00 [305.00] | 0.87 [22.10] | 0.67 [17] (8) | 1.27 [32.3] | 25.01 [635.3] | 26.40 [670.6] | 5.67 [144.1] | 19.78 [502.4] | 20.00 [508.0] | _ | - |

 $^{^{\}rm t}\text{M},~\text{N},~\text{and}~\text{Q}$ dimensions are for less gear and with gear configurations only.

ASME Class 600 valve dimensions

2 to 16 in [50 to 400 mm]




| Dimension | s | | | | | | | | | | | | | | | | | | | | |
|------------------------|----------------|----------------|----------------|----------------|------------------|------------------|------------------|-------------------|------------------|--------------------|-------------------|------------------|--|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|---------------|
| Size, in [mm] | RF | A RJ | - В | ВВ | E | Н | J | K | L | Μ [†] | N [†] | P | $\mathbf{Q}^{\scriptscriptstyle{\dagger}}$ | R | T | U | V | W | X | Y | Z |
| 2 [50] | 11.50 [292] | 11.62 [295] | 2.00 [51] | 2.00 [51] | 6.31 [160.3] | 4.31 [109.5] | 4.67 [118.6] | 1.219 [30.96] | 1.098 [27.89] | 4.016 [102.00] | 4.90 [124.4] | 0.318 [8.08] | 0.43 [10.9] (4) | 0.59 [14.99] | 5.77 [146.6] | 7.32 [185.9] | 1.75 [44.5] | 9.06 [230.12] | 6.00 [154.4] | 13.7 [348] | 6.7 [170] |
| 3 × 2 [80 × 50] | 14.00 [356] | 14.12 [359] | 2.00 [51] | 3.00 [76] | 6.31 [160.3] | 4.31 [109.5] | 4.67 [118.6] | 1.219 [30.96] | 1.098 [27.89] | 4.016 [102.00] | 4.90 [124.4] | 0.318 [8.08] | 0.43 [10.9] (4) | 0.59 [14.99] | 5.77 [146.6] | 7.32 [185.9] | 1.75 [44.5] | 9.06 [230.12] | 6.00 [154.4] | - | _ |
| 3 [80] | 14.00 [356] | 14.12 [359] | 3.00 [76] | 3.00 [76] | 8.27 [210.1] | 5.84 [148.3] | 6.23 [158.2] | 1.533 [38.94] | 1.413 [35.89] | 5.512 [140.00] | 6.90 [175.00] | 0.398 [10.11] | 0.67 [17] (4) | 0.77 [19.56] | 7.60 [193.0] | 9.30 [236.2] | 2.51 [63.8] | 9.06 [230.12] | 6.00 [154.4] | 31.9 [810] | 8.7 [221] |
| 4 × 3 [100 × 80] | 17.00 [432] | 17.12 [435] | 3.00 [76] | 4.00 [102] | 8.27 [210.1] | 5.84 [148.3] | 6.23 [158.2] | 1.533 [38.94] | 1.413 [35.89] | 5.512 [140.00] | 6.90 [175.00] | 0.398 [10.11] | 0.67 [17] (4) | 0.77 [19.56] | 7.60 [193.0] | 9.30 [236.2] | 2.51 [63.8] | 9.06 [230.12] | 6.00 [154.4] | - | - |
| 4 [100] | 17.00 [432] | 17.12 [435] | 4.00 [102] | 4.00 [102] | 10.10 [256.5] | 7.02 [178.3] | 7.77 [197.4] | 1.770 [44.96] | 1.650 [41.91] | 6.00 [152.40] | 7.00 [177.8] | 0.476 [12.09] | 0.56 [14.2] (4) | 0.84 [21.3] | 9.14 [232.2] | 10.84 [275.3] | 2.51 [63.8] | 12.19 [309.6] | 12.00 [304.8] | 45.2 [1,148] | 10.6 [269] |
| 6 × 4 [150 × 100] | 22.00 [559] | 22.12 [562] | 4.00 [102] | 6.00 [152] | 10.10 [256.5] | 7.02 [178.3] | 7.77 [197.4] | 1.770 [44.96] | 1.650 [41.91] | 6.00 [152.40] | 7.00 [177.8] | 0.476 [12.09] | 0.56 [14.2] (4) | 0.84 [21.3] | 9.14 [232.2] | 10.84 [275.3] | 2.51 [63.8] | 12.19 [309.6] | 12.00 [304.8] | - | _ |
| 6 [150] | 22.00 [559] | 22.12 [562] | 6.00 [152] | 6.00 [152] | 12.53 [318.3] | 8.87 [225.3] | 10.04 [255.0] | 2.024 [51.41] | 1.886 [47.90] | 6.496 [165.00] | 8.00 [203.2] | 0.556 [14.12] | 0.81 [20.6] (4) | 0.94 [23.88] | 11.54 [293.1] | 13.31 [338.1] | 3.00 [76.2] | 13.31 [338.1] | 20.00 [508.0] | - | - |
| 8 × 6 [200 × 150] | 26.00 [660] | 26.12 [663] | 6.00 [152] | 8.00 [203] | 12.53 [318.3] | 8.87 [225.3] | 10.04 [255.0] | 2.024 [51.41] | 1.886 [47.90] | 6.496 [165.00] | 8.00 [203.2] | 0.556 [14.12] | 0.81 [20.6] (4) | 0.94 [23.88] | 11.54 [293.1] | 13.31 [338.1] | 3.00 [76.2] | 13.31 [338.1] | 20.00 [508.0] | - | - |
| 8 [200] | 26.00 [660] | 26.12 [663] | 8.00 [203] | 8.00 [203] | 14.95 [379.7] | 10.45 [265.4] | 11.85 [301.1] | 2.514 [63.86] | 2.357 [59.87] | 8.00 [203.20] | 9.50 [241.3] | 0.712 [18.08] | 0.81 [20.6] (4) | 0.94 [23.9] | 13.73 [348.7] | 15.71 [399.0] | 3.63 [92.08] | 16.44 [417.6] | 24.00 [609.6] | - | - |
| 10 × 8 [250 × 200] | 31.00 [787] | 31.12 [790] | 8.00 [203] | 10.00 [254] | 14.95 [379.7] | 10.45 [265.4] | 11.85 [301.1] | 2.514 [63.86] | 2.357 [59.87] | 8.00 [203.20] | 9.50 [241.3] | 0.712 [18.08] | 0.81 [20.6] (4) | 0.94 [23.9] | 13.73 [348.7] | 15.71 [399.0] | 3.63 [92.08] | 16.44 [417.6] | 24.00 [609.6] | - | - |
| 10 [250] | 31.00 [787] | 31.12 [790] | 10.00 [254] | 10.00 [254] | 18.60 [472.4] | 12.91 [327.9] | 14.53 [369.1] | 3.007 [76.38] | 2.830 [71.88] | 10.00 [254.00] | 11.90 [302.00] | 0.792 [20.12] | 0.67 [17] (8) | 1.25 [31.80] | 16.78 [426.2] | 19.24 [488.7] | 4.63 [117.5] | 19.72 [500.9] | 30.00 [762.0] | - | _ |
| 12 × 10 [300 × 250] | 33.00 [838] | 33.12 [841] | 10.00 [254] | 12.00 [305] | 18.60 [472.4] | 12.91 [327.9] | 14.53 [369.1] | 3.007 [76.38] | 2.830 [71.88] | 10.00 [254.00] | 11.90 [302.00] | 0.792 [20.12] | 0.67 [17] (8) | 1.25 [31.80] | 16.78 [426.2] | 19.24 [488.7] | 4.63 [117.5] | 19.72 [500.9] | 30.00 [762.0] | - | _ |
| 12 [300] | 33.00 [838] | 33.12 [841] | 12.00 [305] | 12.00 [305] | 20.17 [512.3] | 14.41 [366.0] | 16.1 [408.9] | 3.007 [76.38] | 2.830 [71.88] | 10.00 [254.00] | 11.90 [302.00] | 0.792 [20.12] | 0.67 [17] (8) | 1.25 [31.80] | 18.35 [466.1] | 20.81 [528.6] | 4.63 [117.5] | 19.72 [500.9] | 30.00 [762.0] | - | _ |
| 14 [350] | 35.00 [889] | 35.12 [892] | 13.25 [337] | 13.25 [337] | 22.84 [580.1] | 16.55 [420.4] | 18.54 [470.9] | 3.342 [84.89] | 3.145 [79.88] | 10.375 [263.53] | 12.00 [305.00] | 0.87 [22.10] | 0.67 [17] (8) | 1.27 [32.3] | 23.66 [601.0] | 25.05 [636.3] | 5.67 [144.1] | 21.28 [540.5] | 24.00 [609.6] | - | _ |
| 16 [400] | 39.00 [991] | 39.12 [994] | 15.25 [387] | 15.25 [387] | 25.64 [651.3] | 18.37 [466.6] | 20.17 [512.3] | 4.088 [103.84] | 3.852 [97.84] | 11.732 [298.00] | 13.70 [348.00] | 1.106 [28.09] | 0.83 [21.1] (8) | 1.36 [34.5] | 25.36 [644.1] | 26.74 [679.2] | 7.30 [185.5] | 22.59 [573.8] | 30.00 [762.0] | - | - |

 $^{^{\}dagger}\text{M},~\text{N},~\text{and}~\text{Q}$ dimensions are for less gear and with gear configurations only.

ASME Class 900 valve dimensions

2 to 12 in [50 to 300 mm]



| Dimensions | | | | | | | - | | | | | | | | | | | | | | |
|------------------------|----------------|----------------|----------------|----------------|------------------|------------------|------------------|------------------|------------------|--------------------|-------------------|------------------|--------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|---------------|--------------|
| Size, in | | A | - B | ВВ | E | Н | J | К | L | Μ [†] | N† | P | Q† | R | т | U | V | w | Х | γ | |
| [mm] | RF | RJ | | | | | | | | | | | | | | | | | | | |
| 2 [50] | 14.50 [368] | 14.62 [371] | 2.00 [51] | 2.00 [51] | 6.31 [160.3] | 4.31 [109.5] | 4.67 [118.6] | 1.219 [30.96] | 1.098 [27.89] | 4.016 [102.00] | 4.90 [124.4] | 0.318 [8.08] | 0.43 [10.9] (4) | 0.59 [14.99] | 5.77 [146.6] | 7.32 [185.9] | 1.75 [44.5] | 9.06 [230.12] | 6.00 [154.4] | 19.7 [500] | 6.7 [170] |
| 3 × 2 [80 × 50] | 15.00 [381] | 15.12 [384] | 2.00 [51] | 3.00 [76] | 6.31 [160.3] | 4.31 [109.5] | 4.67 [118.6] | 1.219 [30.96] | 1.098 [27.89] | 4.016 [102.00] | 4.90 [124.4] | 0.318 [8.08] | 0.43 [10.9] (4) | 0.59 [14.99] | 5.77 [146.6] | 7.32 [185.9] | 1.75 [44.5] | 9.06 [230.12] | 6.00 [154.4] | - | - |
| 3 [80] | 15.00 [381] | 15.12 [384] | 3.00 [76] | 3.00 [76] | 8.27 [210.1] | 5.84 [148.3] | 6.23 [158.2] | 1.533 [38.94] | 1.413 [35.89] | 5.512 [140.00] | 6.90 [175.00] | 0.398 [10.11] | 0.67 [17] (4) | 0.77 [19.56] | 7.60 [193.0] | 9.30 [236.2] | 2.51 [63.8] | 9.06 [230.12] | 6.00 [154.4] | 36.9 [937] | 8.7 [221] |
| 4 × 3 [100 × 80] | 18.00 [457] | 18.12 [460] | 3.00 [76] | 4.00 [102] | 8.27 [210.1] | 5.84 [148.3] | 6.23 [158.2] | 1.533 [38.94] | 1.413 [35.89] | 5.512 [140.00] | 6.90 [175.00] | 0.398 [10.11] | 0.67 [17] (4) | 0.77 [19.56] | 7.60 [193.0] | 9.30 [236.2] | 2.51 [63.8] | 9.06 [230.12] | 6.00 [154.4] | - | - |
| 4 [100] | 18.00 [457] | 18.12 [461] | 4.00 [102] | 4.00 [102] | 10.10 [256.5] | 7.02 [178.3] | 7.77 [197.4] | 1.770 [44.96] | 1.650 [41.91] | 6.00 [152.40] | 7.00 [177.8] | 0.476 [12.09] | 0.56 [14.2] (4) | 0.84 [21.3] | 9.14 [232.2] | 10.84 [275.3] | 2.51 [63.8] | 12.19 [309.6] | 12.00 [304.8] | - | - |
| 6 × 4 [150 × 100] | 24.00 [610] | 24.12 [613] | 4.00 [102] | 6.00 [152] | 10.10 [256.5] | 7.02 [178.3] | 7.77 [197.4] | 1.770 [44.96] | 1.650 [41.91] | 6.00 [152.40] | 7.00 [177.8] | 0.476 [12.09] | 0.56 [14.2] (4) | 0.84 [21.3] | 9.14 [232.2] | 10.84 [275.3] | 2.51 [63.8] | 12.19 [309.6] | 12.00 [304.8] | - | - |
| 6 [150] | 24.00 [610] | 24.12 [613] | 6.00 [152] | 6.00 [152] | 13.61 [345.7] | 9.12 [231.6] | 10.51 [267.0] | 2.514 [63.86] | 2.357 [59.87] | 8.00 [203.20] | 9.50 [241.3] | 0.712 [18.08] | 0.81 [20.6] (4) | 0.94 [23.88] | 12.39 [314.7] | 14.37 [365.0] | 3.63 [92.08] | 14.94 [379.5] | 20.00 [508.0] | - | - |
| 8 × 6 [200 × 150] | 29.00 [737] | 29.12 [740] | 6.00 [152] | 8.00 [203] | 13.61 [345.7] | 9.12 [231.6] | 10.51 [267.0] | 2.514 [63.86] | 2.357 [59.87] | 8.00 [203.20] | 9.50 [241.3] | 0.712 [18.08] | 0.81 [20.6] (4) | 0.94 [23.88] | 12.39 [314.7] | 14.37 [365.0] | 3.63 [92.08] | 14.94 [379.5] | 20.00 [508.0] | - | - |
| 8 [200] | 29.00 [737] | 29.12 [740] | 8.00 [203] | 8.00 [203] | 17.20 [436.9] | 11.77 [299.0] | 13.13 [333.5] | 3.007 [76.38] | 2.830 [71.88] | 10.00 [254.00] | 11.90 [302.00] | 0.792 [20.12] | 0.67 [17] (8) | 1.25 [31.80] | 15.38 [390.7] | 17.84 [453.1] | 4.63 [117.5] | 18.09 [459.5] | 24.00 [609.6] | - | - |
| 10 × 8 [250 × 200] | 33.00 [838] | 33.12 [841] | 8.00 [203] | 10.00 [254] | 17.20 [436.9] | 11.77 [299.0] | 13.13 [333.5] | 3.007 [76.38] | 2.830 [71.88] | 10.00 [254.00] | 11.90 [302.00] | 0.792 [20.12] | 0.67 [17] (8) | 1.25 [31.80] | 15.38 [390.7] | 17.84 [453.1] | 4.63 [117.5] | 18.09 [459.5] | 24.00 [609.6] | - | - |
| 10 [250] | 33.00 [838] | 33.12 [841] | 10.00 [254] | 10.00 [254] | 18.60 [472.4] | 12.91 [327.9] | 14.53 [369.1] | 3.007 [76.38] | 2.830 [71.88] | 10.00 [254.00] | 11.90 [302.00] | 0.792 [20.12] | 0.67 [17] (8) | 1.25 [31.80] | 16.78 [426.2] | 19.24 [488.7] | 4.63 [117.5] | 19.72 [500.9] | 30.00 [762.0] | - | - |
| 12 × 10 [300 × 250] | 38.00 [965] | 38.12 [968] | 10.00 [254] | 12.00 [305] | 18.60 [472.4] | 12.91 [327.9] | 14.53 [369.1] | 3.007 [76.38] | 2.830 [71.88] | 10.00 [254.00] | 11.90 [302.00] | 0.792 [20.12] | 0.67 [17] (8) | 1.25 [31.80] | 16.78 [426.2] | 19.24 [488.7] | 4.63 [117.5] | 19.72 [500.9] | 30.00 [762.0] | - | - |
| 12 [300] | 38.00 [965] | 38.12 [968] | 12.00 [305] | 12.00 [305] | 22.09 [561.1] | 15.80 [401.3] | 17.52 [445.0] | 3.342 [84.89] | 3.145 [79.88] | 10.375 [263.53] | 12 [305.00] | 0.87 [22.10] | 0.67 [17] (8) | 1.27 [32.3] | 22.64 [575.1] | 24.03 [610.4] | 5.67 [144.1] | 21.28 [540.5] | 24.00 [609.6] | - | - |

 $^{^{\}rm t}\text{M},\,\text{N},\,\text{and}\,\,\text{Q}$ dimensions are for less gear and with gear configurations only.

ASME Class 1500 and 2500 and 5,000-psi valve dimensions

2 to 8 in × 6 in [50 to 200 mm × 150 mm] M = Bolt circle diameterQ = Hole size (number of holes) Stem diameter L straddle centerline Stem diameter with key K center line P = Key size ₽ВВ diameter diameter Valve with gear Bare stem valve. (locking gear standard). X diameter Stem diameter with key K

| Dimensions | | 1 | | | | | | | | | | | | | | | | 1 | | | |
|----------------------|---------|-----------|---------|-------|---------|---------|---------|---------|---------|----------------|----------------|---------|------------|---------|----------|---------|---------|----------|---------|-------|-------|
| ASME Class 1 | 1500 | | | | | | | | | | | | | | | | | | | | |
| Size, in | | Α | _ | DD. | _ | | | v | | A.A.t | NI+ | _ | O† | _ | _ | | v | 14/ | v | v | , |
| [mm] | RF | RJ | - B | BB | E | Н | J | K | L | Μ [†] | Ν [†] | P | Q † | R | T | U | V | W | X | Υ | Z |
| 2 | 14.50 | 14.62 | 2.00 | 2.00 | 7.57 | 5.21 | 5.54 | 1.533 | 1.413 | 5.512 | 6.90 | 0.398 | 0.67 | 0.77 | 6.91 | 8.61 | 2.51 | 9.06 | 6.00 | 23.9 | 8.00 |
| [50] | [368] | [371] | [51] | [51] | [192.3] | [132.3] | [140.7] | [38.94] | [35.89] | [140.00] | [175.00] | [10.11] | [17] (4) | [19.56] | [175.5] | [218.7] | [63.8] | [230.12] | [152.4] | [607] | [203] |
| 3 | 18.50 | 18.62 | 3.00 | 3.00 | 9.44 | 6.36 | 7.13 | 1.770 | 1.650 | 6.00 | 7.00 | 0.476 | 0.56 | 0.84 | 8.50 | 10.20 | 2.51 | 12.19 | 12.00 | | |
| [80] | [470] | [473] | [76] | [76] | [239.8] | [161.5] | [181.1] | [44.96] | [41.91] | [152.40] | [177.8] | [12.09] | [14.2] (4) | [21.3] | [215.9] | [259.1] | [63.8] | [309.6] | [304.8] | _ | _ |
| 4 | 21.50 | 21.63 | 4.00 | 4.00 | 11.19 | 7.59 | 8.70 | 2.024 | 1.886 | 6.496 | 8.00 | 0.556 | 0.81 | 0.94 | 10.20 | 11.97 | 3.00 | 11.56 | 14.00 | _ | _ |
| [100] | [546] | [549] | [102] | [102] | [284.2] | [192.8] | [221.0] | [51.41] | [47.90] | [165.00] | [203.2] | [14.12] | [20.6] (4) | [23.88] | [259.1] | [304.0] | [76.2] | [293.6] | [355.6] | | |
| 6×4 | 27.75 | 28.00 | 4.00 | 6.00 | 11.19 | 7.59 | 8.70 | 2.024 | 1.886 | 6.496 | 8.00 | 0.556 | 0.81 | 0.94 | 10.20 | 11.97 | 3.00 | 11.56 | 14.00 | _ | _ |
| [150 × 100] | [705] | [711] | [102] | [152] | [284.2] | [192.8] | [221.0] | [51.41] | [47.90] | [165.00] | [203.2] | [14.12] | [20.6] (4) | [23.88] | [259.1] | [304.0] | [76.2] | [293.6] | [355.6] | | |
| 6 | 27.75 | 28.00 | 6.00 | 6.00 | 13.61 | 10.25 | 10.83 | 2.514 | 2.357 | 8.50 | 9.50 | 0.712 | 0.68 | 1.04 | 12.71 | 14.69 | 3.63 | 16.44 | 24.00 | _ | _ |
| [150] | [705] | [711] | [152] | [152] | [345.7] | [260.4] | [275.1] | [63.86] | [59.87] | [215.9] | [241.3] | [18.08] | [17.3] (4) | | [322.8] | [373.1] | [92.08] | [417.6] | [609.6] | | |
| 8 × 6 | 32.75 | 33.12 | 6.00 | 7.62 | 13.61 | 10.25 | 10.83 | 2.514 | 2.357 | 8.00 | 9.50 | 0.712 | 0.81 | 1.04 | 12.71 | 14.69 | 3.63 | 16.44 | 24.00 | _ | _ |
| [200 × 150] | [832] | [841] | [152] | [194] | [345.7] | [260.4] | [275.1] | [63.86] | [59.87] | [203.20] | [241.3] | [18.08] | [20.6] (4) | [26.4] | [322.8] | [373.1] | [92.08] | [417.6] | [609.6] | _ | |
| ASME Class 2 | 2500 | | | | | | | | | | | | | | | | | | | | |
| 2 | 17.75 | 17.88 | 1.76 | 1.76 | 7.57 | 5.21 | 5.54 | 1.533 | 1.413 | 5.512 | 6.90 | 0.398 | 0.67 | 0.77 | 6.91 | 8.61 | 2.51 | 9.06 | 6.00 | 36.97 | 8.00 |
| [50] | [451] | [454] | [45] | [45] | [192.3] | [132.3] | [140.7] | [38.94] | [35.89] | | [175.00] | [10.11] | [17] (4) | [19.56] | [175.5] | [218.7] | [63.8] | [230.12] | [152.4] | [939] | [203] |
| 3 | 22.75 | 23.00 | 2.53 | 2.53 | 9.94 | 6.91 | 7.34 | 1.770 | 1.650 | 6.00 | 7.70 | 0.476 | 0.56 | 1.09 | 8.71 | 10.41 | 2.51 | 12.56 | 14.00 | _ | _ |
| [80] | [578] | [584] | [64] | [64] | [252.5] | [175.5] | [186.4] | [44.96] | [41.91] | [152.40] | [159.6] | [12.09] | [14.2] (4) | [27.7] | [221.2] | [264.4] | [63.8] | [319.0] | [355.6] | | |
| 4 | 26.50 | 26.88 | 3.53 | 3.53 | 11.19 | 7.75 | 8.91 | 2.024 | 1.886 | 6.496 | 8.40 | 0.556 | 0.67 | 1.16 | 10.41 | 12.18 | 3.00 | 14.81 | 24.00 | _ | _ |
| [100] | [673] | [983] | [90] | [90] | [284.2] | [196.9] | [226.3] | [51.41] | [47.90] | [165.00] | [213.4] | [14.12] | [17] (4) | [29.50] | [264.4] | [309.4] | [76.2] | [37602] | [609.6] | | |
| 6 × 4 | 36.00 | 36.50 | 3.53 | 5.25 | 11.19 | 7.59 | 8.70 | 2.024 | 1.886 | 6.496 | 8.40 | 0.556 | 0.67 | 1.16 | 10.20 | 11.97 | 3.00 | 11.56 | 14.00 | _ | _ |
| [150 × 100] | [914] | [927] | [90] | [133] | [284.2] | [192.8] | [221.0] | [51.41] | [47.90] | [165.00] | [213.4] | [14.12] | [17] (4) | [29.50] | [259.1] | [304.0] | [76.2] | [293.6] | [355.6] | | |
| 5,000-psi Ma | ximum (| Operating | Pressur | e | | | | | | | | | | | | | | | | | |
| 21/16 | _ | 14.625 | 2.075 | 2.075 | 7.57 | 5.21 | 5.52 | 1.533 | 1.413 | 5.512 | 6.90 | 0.394 | 0.67 | 0.77 | 6.89 | 8.59 | 2.51 | 9.06 | 6.00 | 37.00 | 8.00 |
| [52.4] | | [371] | [53] | [53] | [192] | [132.3] | [140.2] | [38.9] | [35.89] | [140.00] | [175.26] | [10.01] | [17] (4) | [19.56] | [175.01] | [218.2] | [63.8] | [230.12] | [152.4] | [940] | [203] |
| 31/8 | _ | 18.63 | 3.145 | 3.145 | 9.44 | 6.36 | 7.09 | 1.77 | 1.65 | 6.00 | 6.00 | 0.472 | 0.56 | 0.84 | 8.46 | 10.16 | 2.51 | 12.19 | 12.00 | _ | _ |
| [79.4] | | [473] | [80] | [80] | [240] | [161.5] | [180.1] | [45.0] | [41.91] | | [152.40] | · · | [14.2] (4) | [21.34] | [214.88] | [258.1] | [63.8] | [309.63] | [304.8] | | |
| 41/16 | _ | 21.63 | 4.075 | 4.075 | 11.19 | 7.59 | 8.69 | 2.024 | 1.886 | 6.50 | 8.00 | 0.551 | 0.81 | 0.94 | 10.19 | 11.94 | 3.00 | 13.31 | 20.00 | _ | _ |
| [103.2] | | [549] | [104] | [104] | [284] | [192.8] | [220.7] | [51.4] | [47.90] | [165.10] | [203.20] | [14.00] | [20.6] (4) | [23.88] | [258.83] | [303.3] | [76.2] | [338.07] | [508.0] | | |
| 7½16 × 6 | _ | 28.00 | 6.02 | 6.00 | 13.61 | 10.25 | 10.61 | 2.514 | 2.357 | 8.50 | 10.00 | 0.709 | 0.67 | 1.04 | 12.49 | 14.48 | 3.63 | 16.50 | 24.00 | _ | _ |
| $[179.3 \times 150]$ | | [711] | [153] | [152] | [346] | [260.4] | [269.5] | [63.9] | [59.87] | [215.90] | [254.00] | [18.01] | [17] (4) | [26.42] | [317.25] | [367.8] | [92.2] | [419.10] | [609.6] | | |

 $^{^{\}text{t}}\text{M},~\text{N},~\text{and}~\text{Q}$ dimensions are for less gear and with gear configurations only.

Weights and \mathcal{C}_{ν} data

| Valve Port | Valve Pressu | ire classes | | | | | | | | |
|------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|-------------|-------------|-------------|-----------|
| Cina in [man] | 150 | 300 | 600 | | 900 | | 1500 | | 2500 | |
| Size, in [mm] | RF | RF | RF | RTJ | RF | RTJ | RF | RTJ | RF | RTJ |
| 2 [50] | 41 [19] | 53 [24] | 64 [29] | 68 [31] | 101 [46] | 108 [49] | 139 [63] | 146 [66] | 185 [84] | 194 [88] |
| $3 \times 2 [80 \times 50]$ | _ | _ | 87 [40] | 92 [42] | 116 [52] | 124 [56] | _ | _ | _ | _ |
| 3 [80] | 69 [31] | 96 [44] | 142 [64] | 137 [62] | 172 [78] | 180 [81] | 250 [113] | 260 [118] | 435 [197] | 452 [205] |
| $4 \times 3 [100 \times 80]$ | _ | _ | 186 [84] | 195 [89] | 225 [102] | 236 [107] | _ | _ | _ | _ |
| 4 [100] | 130 [59] | 172 [78] | 246 [112] | 256 [116] | 313 [142] | 324 [147] | 437 [198] | 451 [204] | 674 [306] | 702 [318] |
| 6 × 4 [150 × 100] | 171 [78] | 229 [104] | 346 [157] | 362 [164] | 458 [208] | 477 [216] | 663 [301] | 688 [312] | 1,171 [531] | 1,231 [55 |
| 6 [150] | 257 [116] | 320 [145] | 460 [209] | 476 [216] | 728 [330] | 746 [339] | 1,039 [471] | 1,063 [482] | _ | _ |
| 8 × 6 [200 × 150] | 304 [138] | 410 [186] | 582 [264] | 602 [273] | 926 [420] | 956 [434] | 1,331 [604] | 1,377 [625] | _ | _ |
| 8 [200] | 475 [215] | 632 [287] | 846 [384] | 867 [393] | 1,231 [558] | 1,260 [572] | _ | _ | _ | _ |
| 10 × 8 [250 × 200] | 532 [241] | 719 [326] | 1,069 [485] | 1,103 [500] | 1,456 [660] | 1,494 [678] | _ | _ | _ | _ |
| 10 [250] | 783 [355] | 965 [438] | 1,472 [668] | 1,503 [682] | 1,857 [842] | 1,894 [859] | = | = | = | _ |
| 12 × 10 [300 × 250] | 880 [399] | 1,113 [505] | 1,589 [721] | 1,622 [736] | 2,115 [959] | 2,161 [980] | = | = | = | _ |
| 12 [300] | 1,165 [528] | 1,476 [670] | 1,993 [904] | 2,025 [918] | 2,861 [1,298] | 2,905 [1,318] | _ | _ | _ | _ |
| 14 [350] | 1,663 [754] | 1,972 [895] | 2,539 [1,152] | 2,576 [1,168] | = | = | = | = | = | _ |
| 16 [400] | 2,441 [1,107] | 2,940 [1,334] | 3,870 [1,755] | 3,919 [1,778] | _ | _ | _ | _ | _ | _ |
| Weights, Ibm [kg]— | Worm Gear Act | tuator Only | | | | | | | | - |
| 2 [50] | 8 [4] | 8 [4] | 8 [4] | 8 [4] | 8 [4] | 8 [4] | 15 [7] | 15 [7] | 15 [7] | 15 [7] |
| 3 × 2 [80 × 50] | | | 8 [4] | 8 [4] | 8 [4] | 8 [4] | _ | | | |
| 3 [80] | 8 [4] | 8 [4] | 15 [7] | 15 [7] | 15 [7] | 15 [7] | 27 [12] | 27 [12] | 27 [12] | 27 [12] |
| 4 × 3 [100 × 80] | _ | - | 15 [7] | 15 [7] | 15 [7] | 15 [7] | | | 27 [12] | 27 [12] |
| 4 [100] | 15 [7] | 15 [7] | 27 [12] | 27 [12] | 27 [12] | 27 [12] | 27 [12] | 27 [12] | 27 [12] | 27 [12] |
| 6 × 4 [150 × 100] | 15 [7] | 15 [7] | 27 [12] | 27 [12] | 27 [12] | 27 [12] | 27 [12] | 27 [12] | | |
| 6 [150] | 27 [12] | 27 [12] | 27 [12] | 27 [12] | 60 [27] | 60 [27] | 60 [27] | 60 [27] | _ | _ |
| 8 × 6 [200 × 150] | 27 [12] | 27 [12] | 27 [12] | 27 [12] | 60 [27] | 60 [27] | 60 [27] | 60 [27] | _ | _ |
| 8 [200] | 27 [12] | 60 [27] | 60 [27] | 60 [27] | 74 [34] | 74 [34] | | | _ | _ |
| 10 × 8 [250 × 200] | 27 [12] | 60 [27] | 60 [27] | 60 [27] | 74 [34] | 74 [34] | _ | _ | _ | _ |
| 10 [250] | 60 [27] | 60 [27] | 74 [34] | 74 [34] | 74 [34] | 74 [34] | _ | _ | _ | _ |
| 12 × 10 [300 × 250] | 60 [27] | 60 [27] | 74 [34] | 74 [34] | 74 [34] | 74 [34] | _ | _ | _ | _ |
| 12 [300] | 60 [27] | 74 [34] | 74 [34] | 74 [34] | 122 [55] | 122 [55] | _ | _ | _ | _ |
| 14 [350] | 74 [34] | 74 [34] | 122 [55] | 122 [55] | _ | _ | _ | _ | _ | _ |
| 16 [400] | 74 [34] | 122 [55] | 133 [60] | 133 [60] | _ | _ | _ | _ | _ | _ |
| Note: Weights shown are fo | | | | | | | | | | |
| Flow Coefficient, C_{ν} | | | | | | | | | | - |
| 2 [50] | 473 | 429 | 369 | | 328 | | 328 | | 207 | |
| 3 × 2 [80 × 50] | _ | - | 136 | | 136 | | _ | | _ | |
| 3 [80] | 1,244 | 1,055 | 940 | | 908 | | 818 | | 490 | |
| 4 × 3 [100 × 80] | _ | _ | 407 | , | 406 | | _ | , | _ | |
| 4 [100] | 2,492 | 2,158 | 1,813 | , | 1,762 | | 1,598 | · | 1,014 | |
| 6 × 4 [150 × 100] | 432 | 432 | 552 | , | 551 | _ | 593 | , | 414 | |
| 6 [150] | 5,468 | 5,403 | 4,590 | , | 4,394 | _ | 4,112 | , | _ | |
| 8 × 6 [200 × 150] | 1,294 | 1,293 | 1,642 | , | 1,637 | _ | 1,652 | , | _ | |
| 3 [200] | 10,782 | 10,293 | 8,971 | , | 8,494 | _ | _ | , | _ | , |
| 10 × 8 [250 × 200] | 2,843 | 2,848 | 3,578 | , | 3,569 | | _ | , | _ | , |
| 10 [250] | 17,438 | 16,892 | 14,352 | | 13,911 | | _ | , | _ | , |
| 12 × 10 [300 × 250] | 5,195 | 5,187 | 6,505 | | 6,454 | | _ | | _ | |
| 12 [300] | 16,892 | 26,892 | 22,772 | | 21,221 | | _ | | _ | |
| 12 [000] | | | | | | | | | | |
| 14 [350] | 22,742 | 22,254 | 21,507 | | _ | | _ | | _ | |

 $^{^{\}scriptscriptstyle \dagger}$ Flow of water in galUS/min per 1-psi pressure drop across a fully open valve.

Valve torque chart

| Ball Valve Torque Chart | | | | | |
|--|----------------|-------------------------------------|---|---|--|
| Valve Port Size, in [mm] | Pressure Class | Gauge Pressure (<i>P</i>), psi | Break Torque at Max. <i>P</i> , lbf.in | Run Torque at Max. <i>P</i> , lbf.in | Max. Allowable Stem Torque (MAST), Ibf.in |
| 2 [50] | 150 | 80–285 | 256 | 147 | 3,818 |
| . [50] | 300 | 286–740 | 613 | 266 | 3,818 |
| [50], 3 × 2 [75 × 50] | 600 | 741–1,480 | 898 | 492 | 3,818 |
| [50], 5 × 2 [75 × 50] | 900 | 1,481-2,220 | 1,146 | 706 | 3,818 |
| [50] | 1500 | 2,221-3,705 | 1,904 | 1,181 | 8,334 |
| . [ວບ] | 2500 | 3,706-6,170 | 2,496 | 1,896 | 8,334 |
| 1/16 [52.4] | 5,000 psi | 5,000 | 2,300 | 889 | 8,334 |
| [75] | 150 | 0-285 | 568 | 329 | 3,818 |
| [75] | 300 | 286–740 | 1,238 | 576 | 3,818 |
| 1751 4 0 (100 75) | 600 | 741–1,480 | 2,039 | 1,094 | 8,334 |
| $[75], 4 \times 3 [100 \times 75]$ | 900 | 1,481–2,220 | 2,611 | 1,634 | 8,334 |
| [75] | 1500 | 2,221–3,705 | 4,399 | 2,451 | 13,241 |
| [75] | 2500 | 3,706–6,170 | 6,368 | 4,016 | 13,241 |
| 1/8 [79.4] | 5,000 psi | 5,000 | 5,334 | 477 | 13,241 |
| | 150 | 80–285 | 1,026 | 604 | 8,334 |
| | 300 | 286–740 | 2,125 | 1,121 | 8,334 |
| | 600 | 741–1,480 | 3,581 | 2,069 | 13,241 |
| $[100], 6 \times 4 [150 \times 100]$ | 900 | 1,481–2,220 | 4,575 | 3,008 | 13,241 |
| | 1500 | 2,221–3,705 | 7,328 | 4,079 | 18,746 |
| | 2500 | 3,706–6,170 | 9,371 | 6,581 | 18,746 |
| ·½16 [103.2] | 5,000 psi | 5,000 | 8,877 | 791 | 18,746 |
| 710 [100.2] | 150 | 80–285 | 2,947 | 1,698 | 13,241 |
| | 300 | 286–740 | 4,495 | 1,988 | 13,241 |
| [150], 8 × 6 [200 × 150] | 600 | 741–1,480 | 7,195 | 2,846 | 18,746 |
| [130], 0 × 0 [200 × 130] | 900 | 1,481–2,220 | 11,022 | 4,534 | 36,792 |
| | 1500 | 2,221–3,705 | 15,323 | 7,510 | 36,792 |
| 7½6 × 6 [179.3 × 150] | 5,000 psi | 5,000 | 18,533 | 1,578 | 36,792 |
| 716 × 0 [173.3 × 130] | 150 | 80–285 | 5,146 | 2,870 | |
| | 300 | 286–740 | 9,041 | | 18,746 36,792 |
| $[200]$, $10 \times 8 [250 \times 200]$ | 600 | | | 3,458 | |
| | | 741–1,480 | 13,423 | 4,631 | 36,792 |
| | 900 | 1,481–2,220 | 21,210 | 6,021 | 69,591 |
| | 150 | 80–285 | 8,480 | 5,541 | 36,792 |
| 0 [250], 12 × 10 [300 × 250] | 300 | 286-740 | 13,149 | 6,237 | 36,792 |
| | 600 | 741–1,480 | 23,638 | 7,295 | 69,591 |
| | 900 | 1,481–2,220 | 30,433 | 8,013 | 69,591 |
| | 150 | 0-285 | 11,601 | 6,311 | 36,792 |
| 2 [300] | 300 | 286-740 | 21,179 | 7,430 | 69,591 |
| - | 600 | 741–1,480 | 31,608 | 8,405 | 69,591 |
| | 900 | 1,481–2,220 | 46,301 | 10,701 | 92,606 |
| | 150 | 80–285 | 16,370 | 10,275 | 69,591 |
| 4 [350] | 300 | 286–740 | 26,595 | 11,555 | 69,591 |
| | 600 | 741–1,480 | 45,288 | 13,634 | 92,606 |
| | 150 | 80–285 | 21,999 | 12,447 | 69,591 |
| 6 [400] | 300 | 286–740 | 39,436 | 14,326 | 92,606 |
| | 600 | 741-1,480 | 70,917 | 17,382 | 173,880 |

The above values are new valve torque values, where P is the maximum operating gauge pressure in psi of the valve.

The above torque values do not contain service factors.

Soaking effects, particle matter, or both in the valve may cause an increase in the torque.

The reseat torque is equal to $\sim\!80\%$ of the break torque.

For power operation, multiply all of the above values by a minimum factor of 1.25 or customer-specified factor, whichever is larger.

For operating temperatures between -20 to -50 degF [-29 to -46 degC], multiply these values by 1.20.

Actuator selection should be made on customer experience and appropriate service factors.

Material selection guide

A selection of body, stem, and seat-seal materials for WKM 370D6 ball valves is available. The following list is intended as a guide in the selection of materials for corrosive service. Material suitability is based on ladings at ambient temperatures. Other temperatures may render an inappropriate material-lading combination. No material can be expected to resist all the many ladings found in modern industry. Experience has shown that certain materials can perform satisfactorily within certain limits. The physical properties of a material are affected differently by each corrosive medium. The user must decide which property is of prime importance for the application. Internal moving parts, in contact with the lading, should always carry an "A" rating. Body materials with exposure to corrosive ladings can sometimes carry a "B" rating because metal loss due to corrosion is not as critical. Cameron recommends that tests be run under actual operating conditions to obtain a material's performance ability in any one corrosive medium.

| | External | Valve Bod | y Material | | | Seal Code | Trim | , | Internal Valve Trim | | | | |
|-----------------------------------|-----------------|-----------------|-----------------|-------------|-------------|-------------|-------------|-------------|---------------------|-----------------|-----------------|-----------------|--|
| Lading | Std. Body 23 | Std. Body 24 | Spl. Body 37 | Std. YRF | Spl. YFF | Spl. TFF | Spl. PFF | Spl. PLF | Std. Int. 23 | Std. Int. 24 | Spl. Int. 27 | Spl. Int. 37 | |
| Acetaldehyde | А | С | С | С | D | D | D | С | А | С | А | С | |
| Acetate solvents | А | A | A | | D | D | D | | Α | A | Α | Α | |
| Acetic acid (10%) | _ | _ | _ | D | D | А | А | А | _ | _ | _ | _ | |
| Acetic acid (glacial) | _ | _ | _ | В | С | С | С | С | _ | _ | _ | _ | |
| Acetic acid (concentrated) | _ | _ | _ | D | D | Α | А | С | _ | _ | _ | _ | |
| Acetic anhydride | В | D | D | D | D | D | D | D | В | D | В | D | |
| Acetone | А | Α | A | D | D | D | D | D | Α | А | А | А | |
| Acetylene | А | А | A | А | А | Α | А | А | А | А | А | А | |
| Acrylonitrile | Α | А | A | D | Α | Α | А | В | Α | Α | А | А | |
| Alcohol, amyl | А | В | В | В | А | Α | А | А | А | В | А | В | |
| Alcohol, butyl | А | В | В | А | Α | Α | А | А | А | В | А | В | |
| Alcohol, ethyl (ethanol) | Α | В | В | Α | Α | А | А | А | Α | В | А | В | |
| Alcohol, methyl (methanol) | Α | В | В | В | В | А | А | А | Α | В | А | В | |
| Aluminum chloride (dry) | А | В | В | А | А | А | А | А | А | В | А | В | |
| Aluminum sulfate (alum) | А | С | С | А | А | А | А | А | А | С | А | С | |
| Alum | Α | С | С | Α | А | А | А | В | А | С | А | С | |
| Amines | Α | В | В | D | В | В | В | В | Α | В | А | В | |
| Amine-based corrosion inhibitor | А | A | A | А | А | А | А | А | А | А | А | А | |
| Amines, rich | Α | В | В | D | В | В | В | В | Α | В | А | В | |
| Ammonia, aqueous | А | А | A | А | Α | А | А | А | Α | А | А | А | |
| Ammonia, anhydrous | А | А | A | В | D | D | D | А | Α | А | А | А | |
| Ammonia solutions | А | В | В | _ | _ | _ | _ | _ | Α | В | A | В | |
| Ammonium bicarbonate | В | С | С | _ | В | А | _ | _ | В | С | В | С | |
| Ammonium carbonate | В | В | В | D | Α | А | А | А | В | В | В | В | |
| Ammonium chloride | С | D | D | В | В | А | А | А | С | D | С | D | |
| Ammonium hydroxide (28%) | В | С | С | D | Α | Α | А | В | В | С | В | С | |
| Ammonium hydroxide (concentrated) | В | С | С | В | Α | Α | А | В | В | С | В | С | |
| Ammonium monophosphate | В | D | D | С | В | Α | Α | _ | В | D | В | D | |
| Ammonium nitrate | Α | D | D | С | С | А | А | А | Α | D | А | D | |
| Ammonium phosphate (dibasic) | В | D | D | С | С | Α | А | А | В | D | В | D | |
| Ammonium phosphate (tribasic) | В | D | D | В | В | А | А | В | В | D | В | D | |
| Ammonium sulfate | В | С | С | А | А | Α | А | А | В | С | В | С | |
| Amyl acetate | В | С | С | D | В | Α | А | С | В | С | В | С | |
| Aniline | В | А | A | С | С | Α | D | Α | В | А | A | Α | |
| Aniline dyes | А | С | С | D | Α | Α | Α | Α | А | С | Α | С | |
| Antimony trichloride | D | D | D | D | D | А | А | А | D | D | _ | D | |

 $A: Excellent; \ B: \ Good \ (slightly \ attacked); \ C: \ Fair \ (modestly \ attacked); \ D: \ Not \ recommended; \ -: \ No \ data \ -: \ No$

| | External | External Valve Body Material | | | | Seal Code | Trim | Internal Valve Trim | | | | |
|----------------------------|-----------------|------------------------------|-----------------|-------------|-------------|-------------|-------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| Lading | Std. Body 23 | Std. Body 24 | Spl. Body 37 | Std. YRF | Spl. YFF | Spl. TFF | Spl. PFF | Spl. PLF | Std. Int. 23 | Std. Int. 24 | Spl. Int. 27 | Spl. Int. 37 |
| Apple juice | В | D | D | А | А | А | = | = | В | D | = | D |
| Arsenic acid | В | D | D | С | С | Α | _ | = | В | D | В | D |
| Asphalt emulsion | А | A | A | Α | Α | А | A | _ | Α | А | А | Α |
| Asphalt liquid | А | A | A | В | А | Α | А | _ | Α | А | А | Α |
| Barium carbonate | В | В | В | С | Α | Α | _ | _ | В | В | В | В |
| Barium chloride | С | С | С | Α | А | Α | A | Α | С | С | С | С |
| Barium hydroxide | В | C | С | Α | A | A | A | A | В | С | В | С |
| Barium sulfate | В | В | В | Α | A | A | A | A | В | В | В | В |
| Barium sulfide | В | В | В | Α | Α | A | A | A | В | В | В | В |
| Beer (alcohol industry) | Α | С | С | Α | Α | Α | A | A | A | С | _ | С |
| Beer (beverage industry) | A | C | C | Α | A | A | A | A | A | C | _ | C |
| Beet sugar liquids | A | В | В | Α | A | A | | | A | В | A | В |
| Benzaldehyde | A | A | A | D | A | A | Α | В | A | A | A | A |
| Benzene (benzol) | A | B | B | D | A | A | A | В | A | В | A | В |
| Benzoic acid | В | D | D | D | D | | A | B | В | D | B | D |
| Borax liquors | В | C | C | A | A | A | A | A | В | C | В | C |
| Boric acid | A | D | D | В | B | A | A | A | A | D | A | D |
| Brines | В | D | D | A | A | A | A | A | В | D | B | D |
| Bromine | D | D | D | D | D | A | A | D | D | D | | D |
| Bunker oils (fuel oils) | A | В | В | A | A | A | A | В | A | В | A | В |
| Butadiene | | В | В | D | C | | A | | | В | A | В |
| | A | | | | | A | | В | A | | | |
| Butane | A | <u>A</u> | <u>A</u> | A | Α | A | A | В | A | A | A | A |
| Buttermilk | A | D | D | A | A | A | A | A | A | D | _ | D |
| Butylene | A | A | A | D | В | A | A | В | A | A | A | A |
| Butyric acid | В | D | D | C | C | A | A | A | В | D | В | D |
| Calcium bisulfite | В | D | D | Α | A | A | A | A | В | D | В | D |
| Calcium carbonate | В | D | D | A | A | A | A | A | В | D | В | D |
| Calcium chloride | В | С | С | Α | А | A | A | Α | В | С | В | С |
| Calcium hydroxide (20%) | В | В | В | Α | A | A | A | Α | В | В | В | В |
| Calcium hypochlorite | С | D | D | D | D | Α | Α | Α | С | D | _ | D |
| Calcium sulfate | В | С | С | D | D | Α | A | | В | С | В | С |
| Carbon bisulfide | В | В | В | D | A | Α | А | В | В | В | В | В |
| Carbon dioxide (dry) | А | Α | Α | А | Α | Α | А | Α | А | Α | Α | Α |
| Carbon dioxide (wet) | А | С | С | Α | Α | Α | В | В | Α | С | В | С |
| Carbon tetrachloride (dry) | В | Α | Α | В | Α | Α | Α | В | В | Α | В | Α |
| Carbon tetrachloride (wet) | А | В | В | В | Α | Α | Α | В | А | В | В | В |
| Carbonated water | А | В | В | Α | Α | Α | Α | _ | Α | В | Α | В |
| Carbonic acid | В | D | D | Α | Α | Α | Α | Α | В | D | В | D |
| Castor oil | А | В | В | А | А | А | Α | А | А | В | А | В |
| China wood oil (tung) | А | В | В | А | А | А | _ | _ | А | В | А | В |
| Chlorinated solvents (dry) | А | А | A | D | В | В | В | В | А | А | А | А |
| Chlorine (wet) | D | D | D | С | С | А | С | С | D | D | _ | D |
| Chlorine gas (dry) | В | В | В | D | D | A | А | _ | В | В | В | В |
| Chloroacetic acid | С | D | D | D | D | Α | Α | В | С | D | _ | D |
| Chlorobenzene | A | В | В | D | A | Α | Α | В | A | В | Α | В |
| Chloroform | A | В | В | D | С | A | A | В | A | В | A | В |
| Chlorosulfonic acid (dry) | В | В | В | D | D | A | A | D | В | В | В | В |
| Chlorosulfonic acid (wet) | D | D | N | † <u>-</u> | | | | | D | D | | N |
| Chrome alum | A | В | B | Α | A | A | A | A | A | В | Α | B |
| Chromic acid | C | D | D | D | | A | D | D | C | D | _ | D |
| Citrus juices | В | D | D | A | A | A | A | A | В | D | В | D |
| Titriie iiiicee | | | | | | | | | | | | |

A: Excellent; B: Good (slightly attacked); C: Fair (modestly attacked); D: Not recommended; -: No data

| | - | | y Material | | | Seal Code | | Internal Valve Trim | | | | |
|----------------------------------|-----------------|-----------------|-----------------|-------------|-------------|-------------|-------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| Lading | Std. Body 23 | Std. Body 24 | Spl. Body 37 | Std. YRF | Spl. YFF | Spl. TFF | Spl. PFF | Spl. PLF | Std. Int. 23 | Std. Int. 24 | Spl. Int. 27 | Spl. Int. 37 |
| Coffee extracts (hot) | А | С | С | Α | Α | Α | = | | А | В | А | С |
| Coke oven gas | А | В | В | D | Α | Α | = | = | Α | В | Α | В |
| Cooking oil | А | В | В | А | Α | Α | A | - | А | В | Α | В |
| Copper acetate (10%) | В | С | С | - | _ | Α | А | В | В | С | В | С |
| Copper chloride | D | D | D | Α | Α | А | А | А | D | D | _ | D |
| Copper nitrate | В | D | D | D | D | Α | Α | В | В | D | В | D |
| Copper sulfate | С | D | D | В | В | Α | А | Α | С | D | _ | D |
| Corn oil | А | В | В | Α | Α | A | _ | _ | А | В | В | В |
| Corrosion inhibitor, amine based | Α | A | A | В | В | A | A | _ | Α | A | A | A |
| Cottonseed oil | В | С | С | Α | A | A | A | A | В | С | В | С |
| Creosote oil | В | В | В | Α | A | A | A | В | В | В | В | В |
| Cresylic acid | В | В | В | D | D | A | A | В | В | В | В | В |
| Crude oil, sour | A | В | В | C | A | A | A | <u>B</u> | A | В | A | В |
| Crude oil, sweet | A | В | В | В | A | A | A | В | A | В | A | В |
| Cutting oils, water emulsions | A | В | В | A | A | A | A | B | A | В | A | В |
| <u> </u> | A | A | A | A | A | A | A | B | A | A | A | A |
| Cyclohexane | | | | | | | | | | | | |
| Diacetone alcohol | A | A | Α | D | A | A | | | A | A | A | A |
| Diesel fuel | Α | A | A | A | А | A | A | A | A | A | A | A |
| Diethanolamine (DEA) | - | _ | _ | - D | | | | | | _ | | |
| Diethylamine | А | Α | A | В | А | D | Α | В | А | Α | Α | Α |
| Diethylene glycol | - | | | А | A | A | A | A | - | | | _ |
| Dowtherm® A–E | A | В | В | D | A | Α | A | В | А | B | Α | В |
| Drilling mud | Α | В | В | А | Α | А | | | А | В | Α | В |
| Drip cocks, gas | А | В | В | _ | | _ | | _ | Α | В | Α | В |
| Dry cleaning fluids | А | В | В | С | В | Α | Α | С | Α | В | Α | В |
| Epsom salt (magnesium sulfate) | В | С | С | - | Α | Α | Α | Α | В | С | В | С |
| Ethane | А | Α | A | А | А | А | А | А | А | А | Α | Α |
| Ethanol (ethyl alcohol) | А | В | В | Α | А | Α | А | Α | Α | В | Α | В |
| Ethanolamine (MEA) | А | А | A | В | Α | А | _ | _ | Α | А | А | Α |
| Ethers | Α | В | В | D | Α | Α | A | D | Α | В | Α | В |
| Ethyl acetate | В | В | В | D | В | В | В | D | В | В | В | В |
| Ethyl acrylate | Α | A | A | D | A | A | A | D | A | A | A | A |
| Ethyl chloride (dry) | A | В | В | A | A | A | A | В | A | В | A | В |
| Ethyl chloride (wet) | В | В | В | Α | A | A | A | В | В | В | В | В |
| Ethylene (liquid or gas) | A | A | A | В | A | A | A | A | A | A | A | A |
| Ethylene glycol | В | В | В | A | A | A | A | A | В | B | В | B |
| Ethylene oxide | В | В | В | D | A | A | A | A | В | В | В | В |
| Ethylene propylene | А | В | | _ u | A | A | A | | А | В | D | D |
| Fatty acids | В | D | D | В | | | | | В | D D | B | D |
| | | | | | A | A | A | <u>A</u> | | | | |
| Ferric chloride | D | D | D | Α | A | A | В | В | D | D | | D |
| Ferric nitrate | В | D | D | Α | A | A | A | A | В | D | | D |
| Ferric sulfate | В | D | D | A | A | A | A | A | В | D | В | D |
| Ferrous chloride | D | D | D | С | С | Α | Α | | D | D | | D |
| Ferrous sulfate | В | D | D | D | D | A | A | A | В | D | В | D |
| Ferrous sulfate (saturated) | А | С | С | - | | A | A | | А | С | S | С |
| Fertilizer solutions | В | В | В | D | D | D | D | D | В | В | В | В |
| Fish oils | А | В | В | В | Α | Α | А | _ | А | В | А | В |
| Fluorine | А | В | В | D | D | D | С | = | А | В | А | В |
| Fluosilic acid | С | D | D | D | D | А | А | А | С | D | _ | D |
| Food fluids, pastes | А | С | С | В | А | А | _ | _ | А | С | _ | С |
| Formaldehyde (100%) | Α | С | С | В | В | Α | А | С | А | С | _ | С |
| Formaldehyde (40%) | А | C | C | В | A | Α | Α | C | A | C | _ | С |
| Formic acid | В | D | D | D | D | A | В | C | В | D | В | |

A: Excellent; B: Good (slightly attacked); C: Fair (modestly attacked); D: Not recommended; —: No data

| Sections | | External | Valve Bod | y Material | | | Seal Code | Trim | Internal Valve Trim | | | | |
|--|--------------------------------|----------|-----------|------------|---|-------------|-------------|-------------|---------------------|---|---|-----------------|-----------------|
| Friety Injuses | Lading | | | | | Spl. YFF | Spl. TFF | Spl. PFF | Spl. PLF | | | Spl. Int. 27 | Spl. Int. 37 |
| Field jet JP-9 A A A A A A A A A A A A A A A A A A | | А | В | В | А | В | В | В | D | А | В | А | В |
| Young pet 19-5, 100 deep | | А | D | D | Α | Α | Α | Α | _ | А | D | Α | D |
| Fixed joil P. 190. 100 deg f | Fuel, jet (JP-4) | A | А | Α | Α | Α | Α | Α | В | А | А | А | Α |
| Fise to lil A B B B A A A A A A B B A B B B A A A A A A B B A B B B A | Fuel, jet (JP-5), 100 degF | А | A | A | А | Α | Α | Α | В | А | А | Α | A |
| Fuel (RP-1) | Fuel, jet (JP-6), 100 degF | Α | Α | A | Α | Α | Α | Α | В | Α | А | Α | Α |
| Furfural 8 | Fuel oil | Α | В | В | Α | Α | Α | Α | Α | Α | В | Α | В |
| Furfural 8 | Fuel (RP-1) | А | A | A | Α | | Α | A | Α | Α | A | A | A |
| Salin Calin Cali | | В | A | A | D | | | A | С | | | A | A |
| B B B B B B B B B B | | В | _ | | В | | | | | | | | |
| Sea obtoivers | | | | | | | | A | Α | | | | |
| Ses. Instural | | | | | _ | | | | | | | | |
| Gasoline, aviation | | | | | _ | | | | | | | | |
| Sasoline, sour | | | | | - | | | | | | | | |
| Gasoline, leaded, low octane A | | | | | | | | | | | | | |
| Gasoline, unleaded, low octane | | | | | _ | | | | | | | | |
| Gelatin | | | | | | | | | | | | | |
| Gluce A B B B A A A A A A B B A A A A A B B A B Glue A A A A A A A A A A A A A A A A A A A | | | | | _ | | | | | | | | |
| Glue | | | | | + | | | | | | | | |
| Glycerine and glycerol | | | | | А | | | Α | A | | | | |
| Glycols | | | | | _ | | | | | | | | |
| Grease | | | | | | | | | | | | | |
| Heptane | Glycols | В | В | В | Α | Α | Α | Α | Α | В | В | В | В |
| Hexane | Grease | Α | Α | Α | _ | Α | Α | Α | | Α | Α | Α | Α |
| Hexanol, tertiary A A A A C A A A A A A A A A A A | Heptane | Α | Α | Α | Α | Α | Α | Α | С | Α | Α | Α | Α |
| Hydraulic oil, phosphate ester | Hexane | Α | Α | Α | Α | Α | Α | Α | С | А | Α | Α | Α |
| Hydraulic oil, petroleum base | Hexanol, tertiary | Α | Α | A | _ | А | _ | _ | _ | А | А | А | A |
| Hydraulic oil, petroleum base | Hydraulic oil, phosphate ester | Α | А | A | С | Α | Α | А | А | Α | А | А | Α |
| Hydrobromic acid | Hydraulic oil, petroleum base | Α | Α | A | Α | Α | Α | А | Α | А | Α | Α | A |
| Hydrocyanic acid | Hydrobromic acid | D | D | D | D | D | Α | С | С | D | D | _ | |
| Hydrocyanic acid | | D | D | D | D | D | A | | | | D | _ | |
| Hydrofluoric acid | | B | D | D | В | | | | | | | R | |
| Hydrofluosilicic acid | | | | | + | | | | | | | | |
| Hydrogen gas | | | | | | | | | | | | | |
| Hydrogen peroxide, 30% (diluted) B D D D D A A A B D D B D Hydrogen peroxide B D D D D D D A A A A B D D B D B D Hydrogen peroxide B D D D D D D D D D D D D D D D D D D | | | | | | | | | | | | | |
| Hydrogen peroxide | , , , | | | | | | | | | | | | |
| Note the probability of the prob | | | _ | | | | | | | | | | |
| Hydrogen sulfide (wet) | | | | | + | | | | | | | | |
| Hypo (sodium thiosulfate) A D D B A A A A A D A D Hypochlorites, sodium C D D D B A A A C D - D D - D D - - D A </td <td></td> | | | | | | | | | | | | | |
| Hypochlorites, sodium C D D B A A A A C D D - D Illuminating gas (coal gas) A A A A - A A A A A A A A A A A A A A | | | | | | | | | | | | | |
| Illuminating gas (coal gas) | | | | | | | | | | | | Α | |
| Ink | | _ | | | В | A | | | A | | | | |
| D D D D A A A B B B D D D D D B Sobutane (methylpropane) | | | | | _ | | A | A | | | | | |
| Sobutane (methylpropane) | Ink | | | | _ | | | | | | | Α | |
| Sooctane | lodine | D | D | D | А | Α | Α | В | В | D | D | | D |
| Socyanide | Isobutane (methylpropane) | | | | | | А | А | | | | | |
| Sodoform | Isooctane | А | A | A | А | Α | А | А | С | А | А | А | А |
| Sodoform | Isocyanide | А | Α | A | _ | _ | _ | _ | _ | А | А | Α | A |
| Isopropyl alcohol (isopropanol) | Isodoform | | | | _ | _ | _ | _ | _ | | | | В |
| Sopropyl ether | | | | | В | В | A | A | Α | | | | |
| Kerosene A B B A A A A B< | | | | | | | | | | | | | |
| Ketchup A D D A C A C A C A C A C C | | | | | | | | | | | | | |
| Ketones A A A D D D D D A A A A Lacquers (solvents) A C C D A A - D A C A C | | | | | | | | | | | | | |
| Lacquers (solvents) A C C D A A - D A C A C | | | | - | | | | | | | - | | |
| | - | | | | | | | | | | | | |
| | Lacquers (solvents) | A | D | D | ט | B B | A | A | <u> </u> | В | D | A | D |

A: Excellent; B: Good (slightly attacked); C: Fair (modestly attacked); D: Not recommended; -: No data

| | External | Valve Bod | y Material | | | Seal Code | Trim | Internal Valve Trim | | | | |
|--|-----------------|-----------------|-----------------|-------------|-------------|-------------|-------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| Lading | Std. Body 23 | Std. Body 24 | Spl. Body 37 | Std. YRF | Spl. YFF | Spl. TFF | Spl. PFF | Spl. PLF | Std. Int. 23 | Std. Int. 24 | Spl. Int. 27 | Spl. Int. 37 |
| _ard oil | Α | С | С | А | Α | Α | Α | Α | А | С | | С |
| Lead acetate | В | С | С | В | В | A | A | D | В | D | _ | С |
| Linoleic acid | Α | В | В | С | С | Α | Α | Α | Α | В | Α | В |
| Linseed oil | Α | Α | Α | Α | Α | Α | Α | Α | Α | А | Α | Α |
| Liquefied petroleum gas (LPG) | Α | В | В | Α | Α | Α | Α | В | Α | В | Α | В |
| Lithium bromide | А | D | D | - | _ | Α | В | А | Α | D | _ | D |
| Lubricating oil | А | Α | A | А | A | Α | А | А | Α | A | А | Α |
| Magnesium bisulfate | Α | С | С | _ | Α | _ | _ | _ | Α | С | _ | С |
| Magnesium chloride | D | С | С | Α | Α | Α | Α | Α | D | С | _ | С |
| Magnesium hydroxide | Α | В | В | В | В | Α | Α | Α | Α | В | Α | В |
| Magnesium sulfate (epsom salt) | В | В | В | _ | A | A | A | A | В | В | _ | В |
| Maleic acid | С | В | В | D | A | A | A | A | С | В | В | В |
| Maleic anhydride | A | D | D | | | A | A | A | A | D | | |
| Malic acid | A | D | D | Α | A | A | A | A | A | D | _ | D |
| Mayonnaise | A | D | D | | A | A | A | | A | D | _ | D |
| Mercapatans | A | A | A | A | A | A | | | A | A | A | A |
| Mercuric chloride | D | D | D | D | D D | A | A | A | D | D | A | D |
| Mercuric cyanide (10%) | В | D | D D | С | A | B | A | A | В | D D | | D |
| Mercury | А | A | A | A | A | A | A | A | А | A | A | A |
| Methane | A | A | A | A | A | A | A | B | A | A | A | A |
| | | | | | | | | | | | | |
| Methanol (methyl alcohol) | A | В | В | В | A | A | A | D | A | В | A | В |
| Methyl acetate | A | A | A | D | В | В | В | D | A | Α | A | A |
| Methyl acetone | A | <u>A</u> | <u>A</u> | | D | D | D | | A | A | A | A |
| Methyl cellosolve | В | В | В | С | A | Α | | | В | В | В | В |
| Methyl chloride | Α | В | В | D | В | Α | A | D | А | В | Α | В |
| Methyl ethyl ketone (MEK) | Α | A | A | D | В | В | В | D | А | A | Α | Α |
| Methyl formate | В | В | В | | | Α | | | В | В | В | В |
| Methylamine | В | В | В | _ | | Α | Α | _ | В | В | В | В |
| Methylene chloride | В | В | В | D | С | Α | Α | | В | В | В | В |
| Milk | Α | D | D | Α | Α | Α | Α | Α | Α | D | _ | D |
| Mine waters (acid) | В | D | D | _ | В | В | _ | - | В | D | - | D |
| Mineral spirits | В | В | В | _ | Α | Α | A | _ | В | В | В | В |
| Mineral oil | Α | В | В | А | Α | Α | А | Α | Α | В | Α | В |
| Mixed acids (cold) | Α | С | С | _ | _ | _ | _ | _ | Α | С | _ | С |
| Molasses, crude | Α | A | A | _ | Α | Α | Α | _ | А | А | Α | Α |
| Molasses, edible | Α | A | A | - | A | Α | Α | _ | А | Α | Α | Α |
| Methyl tertiary butyl ether (MTBE), max. 100% | А | В | В | _ | _ | В | В | В | А | D | В | В |
| MTBE, max. 40% | Α | A | A | С | В | В | В | В | А | В | В | Α |
| Muriatic acid (hydrochloric acid) | D | D | D | _ | D | A | A | A | D | D | _ | D |
| Mustard | A | В | В | Α | A | A | _ | _ | A | В | Α | B |
| Naphtha (rubber solvent) | A | В | В | В | A | В | В | В | A | В | A | B |
| Naphthalene (coal tar distillate) | A | A | A | D | A | A | A | C | A | A | A | A |
| Nickel ammonium sulfate (20%) | A | | D | С | A | A | A | A | A | D | _ | D |
| Nickel chloride | В | D | D | A | A | A | A | A | C | D | _ | D |
| Nickel nitrate (30%) | В | D | D | В | B | A | A | A | В | D | | D |
| Nickel sulfate | С | D D | D D | А | A | A | A | A | С | D D | | D D |
| | _ | | | A | | | | А | | | | |
| Nicotinic acid | A | В | В | | | A | | | A | B | Α | B |
| Nitric acid (10%) | A | D | D | D | D | A | В | D | A | D | | D |
| Nitric acid (100%) | A | A | A | D | D | A | C | <u>D</u> | A | A | A | A |
| Nitric acid (30%) | A | D | D | D | D | A | C | <u>D</u> | A | D | | D |
| Nitric acid (80%) | D | A | D | D | D | A | <u>C</u> | D | A | D | | D |
| Nitric acid, anhydrous or aqueous | Α | A | A | D | D | A | В | | А | Α | A | Α |
| Nitrobenzene | В | В | В | В | В | Α | Α | D | В | В | В | В |
| | | | | | | | | | | | | |

A: Excellent; B: Good (slightly attacked); C: Fair (modestly attacked); D: Not recommended; -: No data

| | External | Valve Bod | y Material | | | Seal Code | Trim | Internal Valve Trim | | | | |
|--|-----------------|-----------------|-----------------|-------------|-------------|-------------|-------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| Lading | Std. Body 23 | Std. Body 24 | Spl. Body 37 | Std. YRF | Spl. YFF | Spl. TFF | Spl. PFF | Spl. PLF | Std. Int. 23 | Std. Int. 24 | Spl. Int. 27 | Spl. Int. 37 |
| Nitrogen | А | Α | Α | А | Α | Α | Α | Α | А | Α | Α | Α |
| Nitrous acid (10%) | В | D | D | Α | Α | Α | A | Α | В | D | _ | D |
| Nitrous gases | А | В | В | _ | A | Α | A | _ | Α | В | Α | В |
| Nitrous oxide | В | Α | Α | Α | Α | Α | Α | _ | В | Α | В | Α |
| Oil, cottonseed | В | С | С | В | В | Α | В | Α | В | С | В | С |
| Oil, petroleum (refined) | Α | Α | Α | А | Α | Α | Α | Α | А | Α | Α | Α |
| Oil, petroleum (sour) H ₂ S and CO ₂ | А | Α | Α | А | Α | Α | Α | Α | А | Α | Α | Α |
| Oil, water mixtures | А | В | В | А | Α | А | Α | А | А | В | А | В |
| Oil, animal | А | А | A | Α | Α | А | Α | Α | Α | А | Α | Α |
| Oil, fish | А | В | В | В | Α | А | Α | В | А | В | А | В |
| Oil, fuel | А | В | В | А | А | Α | Α | В | Α | В | Α | В |
| Oil, lube | А | А | A | А | А | А | Α | Α | Α | А | Α | А |
| Oil, mineral | Α | В | В | Α | Α | Α | А | Α | А | В | Α | В |
| Oleic acid | А | В | В | С | Α | Α | А | С | А | В | Α | В |
| Oleum | В | В | В | В | A | Α | Α | A | В | В | В | В |
| Olive oil | A | В | В | A | A | A | A | A | A | В | A | В |
| Oxalic acid | Α | D | D | В | В | Α | A | Α | A | D | _ | D |
| Oxygen (gas) | A | В | В | D | A | A | A | D | A | В | A | B |
| Oxygen (liquid) | A | В | В | D | C | C | С | D | A | В | | В |
| Ozone | A | C | C | D | A | A | A | D | A | C | A | |
| Paints and thinners | A | A | A | D | A | A | A | A | A | A | A | A |
| Palm oil | В | C | C | D | A | A | A | _ | В | C | В | C |
| Palmitic acid | A | | | A | A | A | A | A | A | C | A | C |
| Paraffin | A | В | B | A | A | A | | A | A | B | A | В |
| Paraformaldehyde | В | В | В | A | A | A | Α | | В | В | B | В |
| Pentane | A | В | В | A | A | A | | A | A | В | A | В |
| Perchloroethylene | В | В | В | C | A | A | A | A | В | В | B | В |
| Petrolatum | В | C | C | A | A | A | A | A | В | C | В | C |
| | | | | | | | | | | | | |
| Phenol (carbolic acid) | А | В | В | Α | A | A | А | А | А | В | A | В |
| Phosgene (carbonyl chloride) | _ | _ | | _ | В | A | _ | | | | | |
| Phosphoric acid | | _ | | - | В | A | Α | A | - | _ | _ | |
| Phosphoric acid (40%) | - | _ | _ | - | В | A | A | A | | _ | | |
| Phosphoric acid (>40%) | _ | | _ | - | В | A | A | A | - | _ | | |
| Phosphoric acid (crude) | _ | _ | _ | _ | В | A | Α | A | - | _ | | |
| Phosphoric acid (molten) | _ | _ | | _ | B | | | | | | | |
| Phosphoric acid (anhydride) | - | _ | _ | D | B | Α | | | | | | |
| Phthalic acid | В | С | С | С | В | Α | Α | | В | С | В | С |
| Phthalic anhydride | В | С | С | С | Α | Α | С | С | В | С | В | С |
| Picric acid | В | С | С | А | А | Α | А | | В | С | В | С |
| Pine oil | А | В | В | А | А | Α | _ | | А | В | Α | В |
| Pineapple juice | А | С | С | А | А | А | _ | | А | С | | С |
| Polyester resin | А | В | В | - | А | А | Α | _ | А | В | А | В |
| Polyethylene glycol | _ | | = | | = | А | А | В | | _ | _ | _ |
| Polyurethane | А | А | А | - | _ | _ | - | _ | А | Α | Α | Α |
| Potassium bisulfite (10%) | В | D | D | С | А | А | _ | _ | В | D | _ | D |
| Potassium bromide | В | D | D | С | А | A | Α | _ | В | D | _ | D |
| Potassium carbonate | Α | С | С | - | A | A | Α | _ | А | С | _ | С |
| Potassium chlorate | Α | В | В | _ | С | Α | Α | A | А | С | _ | В |
| Potassium chloride | A | C | C | Α | A | A | A | A | A | C | _ | C |
| Potassium cyanide | В | В | В | Α | A | A | | _ | В | В | В | B |
| Potassium dichromate | A | В | В | В | В | A | Α | A | A | В | A | B |
| Potassium diphosphate | A | A | A | 1_ | | | | | A | A | A | A |
| i otaooiaini aipinoopilato | / 1 | / 1 | / \ | 1 | | | | | 1'' | / \ | / 1 | / 1 |

A: Excellent; B: Good (slightly attacked); C: Fair (modestly attacked); D: Not recommended; —: No data

| | | | y Material | | | Seal Code | Trim | | Internal Valve Trim | | | | |
|--------------------------------|-----------------|-----------------|-----------------|-------------|-------------|-------------|-------------|-------------|---------------------|-----------------|-----------------|-----------------|--|
| Lading | Std. Body 23 | Std. Body 24 | Spl. Body 37 | Std. YRF | Spl. YFF | Spl. TFF | Spl. PFF | Spl. PLF | Std. Int. 23 | Std. Int. 24 | Spl. Int. 27 | Spl. Int. 37 | |
| Potassium ferrocyanide | А | В | В | В | В | Α | Α | | А | В | А | В | |
| Potassium hydroxide (70%) | Α | Α | Α | С | С | Α | Α | В | А | Α | Α | Α | |
| Potassium hydroxide (diluted) | В | В | В | _ | Α | Α | Α | А | В | В | В | В | |
| Potassium iodide | В | С | С | С | А | А | - | _ | В | С | В | С | |
| Potassium nitrate | А | В | В | В | В | А | А | А | Α | В | А | В | |
| Potassium permanganate | А | Α | А | D | D | Α | Α | _ | Α | А | А | Α | |
| Potassium sulfate | Α | В | В | Α | A | Α | A | Α | Α | В | Α | В | |
| Potassium sulfide | В | С | C | Α | A | A | С | _ | В | С | В | С | |
| Potassium sulfite | Α | D | D | Α | A | A | | A | A | D | _ | D | |
| Producer gas | A | В | В | Α | A | A | A | A | A | В | Α | В | |
| Propane | A | A | A | Α | A | A | A | A | A | A | A | A | |
| Propylene | A | В | B | C | A | A | A | A | A | В | | В | |
| Propyl alcohol (propanol) | A | A | A | A | A | | A | A | A | A | A | A | |
| Propylene glycol | A | A | A | C | A | A | A | A | A | A | A | A | |
| | В | | B | В | | | | | В | | | B | |
| Pyrogallic acid | | В | | | A | A | D | | | B | В | | |
| Quench oil (water soluble) | A | A | A | В | В | A | A | | A | A | A | A | |
| Resins and and rosins | A | С | C | В | A | A | A | | A | C | _ | С | |
| Rubber latex emulsions | A | В | В | Α | A | A | A | | A | В | A | В | |
| Salad oil | В | С | С | A | А | A | A | | В | С | | С | |
| Salicylic acid | Α | D | D | В | Α | Α | А | Α | Α | D | Α | D | |
| Salt brine (saturated) | В | С | С | Α | Α | Α | А | Α | В | С | Α | С | |
| Seawater | Α | D | D | А | Α | Α | Α | Α | Α | D | Α | D | |
| Shellac (bleached) | Α | Α | Α | С | Α | Α | Α | _ | А | Α | Α | Α | |
| Shellac (orange) | А | Α | Α | С | Α | Α | Α | _ | А | Α | Α | Α | |
| Silicone oils | А | Α | A | Α | А | Α | А | А | А | А | А | Α | |
| Silver nitrate | В | D | D | В | Α | Α | А | А | В | D | = | D | |
| Soap solutions (stearates) | А | Α | A | Α | А | Α | А | Α | А | Α | Α | Α | |
| Sodium acetate | В | В | В | В | В | A | A | В | В | В | В | В | |
| Sodium aluminate | Α | С | С | С | A | A | A | | A | С | | С | |
| Sodium bicarbonate | В | C | C | Α | A | Α | A | A | В | C | | С | |
| Sodium bisulfate | A | D | D | Α | A | A | A | A | A | D | _ | D | |
| Sodium bisulfite | D | D | D | A | A | A | A | A | D | D | _ | D | |
| Sodium borate (borax) | В | C | C | A | A | A | A | A | A | C | В | C | |
| Sodium bromide | В | C | C | C | B | A | A | | B | C | В | C | |
| | В | В | В | A | A | | | | В | B B | B | B | |
| Sodium carbonate | | | | 1 | | A | A | A | | | | | |
| Sodium chlorate | В | C | <u>C</u> | С | A | A | A | C | В | <u>C</u> | В | С | |
| Sodium chloride | В | С | C | A | A | A | A | A | В | С | В | C | |
| Sodium chromate | В | В | В | С | С | Α | Α | | В | В | В | В | |
| Sodium cyanide | А | A | A | Α | A | A | A | A | Α | A | A | A | |
| Sodium fluoride | С | D | D | С | В | A | А | | С | D | | D | |
| Sodium hydroxide (20%) | А | Α | Α | _ | Α | Α | Α | Α | А | Α | Α | Α | |
| Sodium hydroxide (50%) | В | В | В | _ | Α | Α | Α | Α | В | В | В | В | |
| Sodium hydroxide (80%) | В | В | В | - | В | Α | Α | Α | В | В | В | В | |
| Sodium hypochloride | С | D | D | - | D | Α | А | _ | С | D | _ | D | |
| Sodium metaphosphate | А | D | D | Α | А | Α | А | А | А | D | _ | D | |
| Sodium metasilicate | А | С | С | С | А | A | А | _ | А | С | Α | С | |
| Sodium nitrate | Α | В | В | _ | A | A | А | Α | А | В | В | В | |
| Sodium perborate | В | C | C | В | В | A | A | A | В | C | В | C | |
| Sodium peroxide | В | C | C | В | A | A | A | A | В | C | В | C | |
| Sodium phosphate (dibasic) | В | В | B | A | A | A | A | A | В | B | В | B | |
| Sodium phosphate (tribasic) | В | В | В | В | В | A | A | A | В | В | В | В | |
| ooutani piioopiiate (tiibasit) | | | | | | | | | | | | | |
| Sodium silicate | Α | Α | Α | Α | Α | Α | Α | Α | ΙA | Α | Α | Α | |

A: Excellent; B: Good (slightly attacked); C: Fair (modestly attacked); D: Not recommended; -: No data

| | External | External Valve Body Material | | | | Seal Code | Trim | Internal Valve Trim | | | | |
|---------------------------|-----------------|------------------------------|-----------------|-------------|-------------|-------------|-------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| Lading | Std. Body 23 | Std. Body 24 | Spl. Body 37 | Std. YRF | Spl. YFF | Spl. TFF | Spl. PFF | Spl. PLF | Std. Int. 23 | Std. Int. 24 | Spl. Int. 27 | Spl. Int. 37 |
| Sodium sulfide | В | В | В | В | В | А | Α | - | В | В | В | В |
| Sodium thiosulfate | А | D | D | В | В | Α | Α | = | Α | D | _ | D |
| Sour gas and oil | А | А | А | _ | _ | _ | _ | _ | А | А | _ | Α |
| Soybean oil | А | В | В | А | Α | Α | Α | А | Α | В | В | В |
| Stannic chloride | D | D | D | В | В | А | А | Α | D | D | D | D |
| Stannous chloride | С | D | D | С | С | А | А | Α | С | D | _ | D |
| Starch | А | Α | Α | Α | Α | Α | А | Α | Α | А | Α | Α |
| Steam (212 degF) | А | В | В | D | С | Α | Α | Α | Α | В | Α | В |
| Stearic acid | А | С | С | В | A | Α | A | Α | Α | С | _ | С |
| Stoddard solvent | В | В | В | Α | Α | Α | A | В | В | В | В | В |
| Styrene | А | A | A | _ | A | A | A | В | А | A | A | A |
| Sugar liquids | A | В | В | _ | A | A | A | _ | A | В | A | В |
| Sulfate, black liquors | В | С | С | 1_ | В | Α | | | В | С | | С |
| Sulfate, green liquors | В | C | C | <u> </u> | В | A | | | В | C | | C |
| Sulfate, white liquors | В | D | D | _ | В | | | | В | D | | D |
| Sulfuric acid (0%–7%) | A | B | В | _ | C | A | A | В | A | В | A | B |
| Sulfuric acid (10%-100%) | D | D | D | 1_ | D | A | D | B | D | | _ | D |
| Sulfurous acid | D | D | D | D | D | A | A | B | D | D | _ | D |
| Sulfur | A | В | В | _ | A | A | A | | A | В | A | В |
| Sulfur dioxide (dry) | A | В | В В | 1_ | A | A | A | В | A | В | A | В |
| Sulfur trioxide (dry) | В | В | В | | A | A | A | В | В | В | B | В |
| | В | В | В | | A | A | A | D | В | В | В | В |
| Synthesis gas Fall oil | В | В | В | - | A | A | A | | В | В | В | В |
| Fannic acid | В | В | В | | A | A | A | | В | В | В | В |
| | | | | A | | | | A | | | | |
| Tar and tar oil | A | A | <u>A</u> | В | A | A | A | A | A | A | A | A |
| Tartaric acid | A | D | D | В | В | A | A | A | A | D | С | D |
| Tetraethyl lead | В | С | С | В | В | A | A | С | В | С | _ | С |
| Titanium tetrachloride | | | | В | A | A | | | | _ | | |
| Titanium trichloride | _ | | _ | В | Α | Α | | | - | | | |
| Toluene and toluol | A | A | A | С | Α | Α | Α | D | A | A | Α | A |
| Tomato juice | А | С | С | - | А | А | Α | | А | С | | С |
| Transformer oil | А | Α | Α | Α | A | Α | А | Α | Α | А | Α | Α |
| Tributyl phosphate | А | Α | Α | D | D | Α | | | Α | А | Α | Α |
| Trichloroethylene | В | В | В | С | В | Α | Α | D | В | В | В | В |
| Tung oil (China wood oil) | А | В | В | А | Α | Α | Α | Α | А | В | Α | В |
| Turpentine | А | В | В | В | В | Α | Α | Α | А | В | Α | В |
| Jrea | В | С | С | _ | _ | _ | _ | - | В | С | _ | С |
| /arnish | А | С | С | В | Α | Α | Α | В | Α | С | _ | С |
| Vegetable oil, edible | А | В | В | А | Α | А | Α | А | А | В | _ | В |
| Vegetable oil, nonedible | А | В | В | А | А | А | А | А | А | В | А | В |
| Vinegar | А | D | D | В | А | А | А | А | А | D | _ | D |
| Water, distilled | А | D | D | Α | А | А | А | А | А | D | А | D |
| Water, fresh | А | С | С | Α | A | A | А | Α | А | С | A | С |
| Water, salt | А | D | D | Α | A | A | Α | Α | Α | D | Α | D |
| Wax, emulsions | А | A | A | _ | A | Α | Α | _ | А | A | A | Α |
| Waxes | A | A | A | 1_ | A | A | A | _ | A | A | A | A |
| Whiskey and wine | A | D | D | Α | A | A | A | A | A | D | | D |
| Kylene | A | A | A | D | A | A | A | D | A | A | A | A |
| Zinc chloride | D | D | D | С | C | A | A | A | D | D | _ | |
| Zinc hydrosulfite | A | A | A | C | A | A | | | A | A | A | A |
| Zinc sulfate | В | D | D | A | A | A | A | A | В | D | B | D |

 $\overline{\text{A: Excellent; B: Good (slightly attacked); C: Fair (modestly attacked); D: Not recommended; <math>\rightarrow$: No data}

WKM 370D6 Trunnion-Mounted Ball Valves



slb.com/valves

